



GUANGDONG UNIHOPPER PRECISION TECHNOLOGY
CORPERATION LIMITED

Operating center: Rm2404 Building B, Fengxing Plaza, No.242,
Tianhe Rd, Tianhe District, Guangzhou City

Headquarter: Unihopper industrial park, No.9 Chuangye
road, High-tech Industrial Development Zone ,Zhaoqing City,
Guangdong Province, China

TEL: +86-758 3212918/3212919
FAX: +86-758 3212921
Email: pansheng@unihopper.biz

www.unihopper.biz/en



Official wechat



Official website

FOR PRODUCTS CONSTANTLY UPGRADING, PRODUCTS APPEARANCE AND SPECIFICATION MAY CHANGE. PRODUCT PLEASE
IN KIND PREVAIL, CONTENT IMAGES ARE FOR REFERENCE ONLY.



DRAWER AND CABINET SYSTEM

Designed by UNIHOPPER

DRAWER AND CABINET SYSTEM



DRAWER AND CABINET SYSTEM

DRAWER AND CABINET SYSTEM




UNIHOPPER



DRAWER BOX

THE SOUL OF THE SYSTEM





Unihopper Intelligent industrial park

MILESTONES

2005 >

In order to reduce the cost of ODM, Unihopper decided to invest with the advanced technology from Europe and construct the production base in China.

2010 >

Unihopper successfully researched and developed the third generation interactive two-way soft closing drawer box and synchronize conceal slide.

2013 >

The union design group successfully researched and developed basket and wardrobe storage system (MOKA).

2015 >

Unihopper successfully researched and developed the fifth generation interactive two-way soft closing drawer box-Magic box, and successfully hosted the “Night of Unihopper”in Beijing wardrobe annual conference.

2016 >

Unihopper successfully hosted “Unihopper summit conference” in Guangzhou, and announced Unihopper would globalize the brand.

2017 >

Unihopper successfully hosted the second “Unihopper summit conference”. Same time, Unhopper Business College was founded.

2019 >

Unihopper successfully hosted the third “Unihopper summit conference”, and founded the new Unihopper production base and Unihopper brand-day. For better global development, Unihopper set up the "Belt and Road"concept. Same year, Unihopper researched and developed the Phantom kitchen storage system and Co-box.

2020 >

Unihopper become one of the home decoration drafting committee for Hinge, slide and basket. In the same year, Unihopper won the National High-tech Enterprise. Vanka, COKA have been introduced to the market.

2021 >

Unihopper new production base with 120,000 sqm put into use officially.

2022 >

Unihopper international R&D center and the flagship showroom in the new headquarters fully open to the public.

BRIEF INTRODUCTION

Unihopper, a high-end customized home brand and the provider for comprehensive solutions of hardware supporting, implements the "Belt and Road" global development strategy to develop the global market. Offering the Uni-products, Uni-design, and Uni-service to every corner of the world.

After years of development, Unihopper has sole agents in dozens of countries and regions around the world, such as Netherlands, Canada, Russia, Slovenia, Argentina, Korea, Iran, Spain, Portugal, Ireland, Saudi Arabia, Colombia, South Africa, India, Southeast Asia Regions and China HongKong, Macao and Taiwan regions and so on; and now, Unihopper has become a major suppliers for many well-known cabinet and home brands in the world.

In 2005, Unihopper set up a production base and established a large storage center in Nanhai city in China, and a new intelligent Uni-industrial park of more than 120,000 square meters will also be put into use in 2021. As one of the best name and provider for the high-end customized furniture hardware industry, Unihopper has always upheld the brand values of "European quality, Chinese price", and now, has become a leading brand popularizing in many home furnishing companies and consumers all over the world. In the future, Unihopper will increase more investment in space enlarging, strengthen multi-dimensional development including product application, intelligent scene introduction, online and offline channel integration, striving to become the best home storage master around consumers' life.



GS Quality Test
Certification



ISO 9001 Quality
Management Certification



Standards Maker of Kitchen
Hardware Industry

THE LAYOUT OF UNIHOPPER ALL OVER THE WORLD




COMPANY VISION


CORPORATE MISSION:

To meet people's yearning for a better life is the mission pursuit of Unihopper

VALUES:

Integrity, altruism, struggle, innovation, understanding, common progress





INDEX

P. 013-102

DRAWER BOX

P. 015

LED GLASS MAGIC BOX

P. 029

GLASS MAGIC BOX

P. 039

MAGIC BOX

P. 053

REGIC BOX

P. 067


COBOX

P. 081

POBOX


P. 095

HUGGEN



P. 163-190

GAS HINGE



P. 103-130


INNER DRAWER BOX

P. 105

INNER MAGIC BOX


P. 119

INNER DRAWER BOX



P. 191-192

CABINET SUPPORT



P. 131-162


CONCEALED SLIDE

P. 131

CONCEALED SLIDE


P. 157

BALL BEARING SLIDE



P. 193-202

KITCHEN STORAGE ORGANIZER




DRAWER BOX SYSTEM



LED GLASS MAGIC BOX -pursuit of perfection of exquisite details and precise drawer and cabinet system.

LED GLASS MAGIC BOX





A great combination of functional and fashion drawer.



LED GLASS MAGIC BOX

A ingenious design of 53mm soft closing journey makes the movement perfectly.



LED GLASS MAGIC BOX

FEATURES

- Fashionable appearance,slow motion,easy assembling
- Optional for Huggen PTO system
- Drawer height 80MM
- Synchronized concealed slide Loading capacity 35KG
- Epoxy coated
- Light colour:10000K
- 3D regulations,up and down,left and right,front and back
- Mat:aluminum+glass




LED GLASS MAGIC BOX
H80



H80mm LED Glass magic box item code				
Nominal length	Item code			The complete set basic components includes
	Soft closing	Rebound	Huggen	
270mm	DBF1.270A1.(^)	DBRF1.270A1.(^)	DBPF1.270A1.(^)	1.Soft closing concealed slide(left/right) with huggen PTO system*
300mm	DBF1.300A1.(^)	DBRF1.300A1.(^)	DBPF1.300A1.(^)	2.LED Glass drawer side Left/Right
350mm	DBF1.350A1.(^)	DBRF1.350A1.(^)	DBPF1.350A1.(^)	3.Front fixing brackets 1*2pcs
400mm	DBF1.400A1.(^)	DBRF1.400A1.(^)	DBPF1.400A1.(^)	4.Clip-on fixing Left/Right
450mm	DBF1.450A1.(^)	DBRF1.450A1.(^)	DBPF1.450A1.(^)	5.Spacer for clip Left/Right
500mm	DBF1.500A1.(^)	DBRF1.500A1.(^)	DBPF1.500A1.(^)	
550mm	DBF1.550A1.(^)	DBRF1.550A1.(^)	DBPF1.550A1.(^)	

Remarks:(^):Color: Matt white (MW) / Dark grey(DG) Patent No.ZL 2017 2 0750286.4


1 Concealed slide Left / Right			
Description	Concealed slide-Soft closing	Concealed slide - Rebound	Concealed slide - HUGGEN
	DBE.(^)SL.ZP	DBRE.(^)SL.ZP	DBPE.(^)SL.ZP
Remarks:(^):Nominal length:270/300/350/400/450/500/550			

2 LED Glass drawer side Left/Right	
Description	LED Glass drawer side Left/Right
	DBF.(^) AW1.(^)
Remarks:(^):Nominal length:270/300/350/400/450/500/550 (^):Color: Matt white (MW) / Dark grey(DG)	

3 Front fixing brackets	
Description	Front fixing brackets
	DA1102F1.80.(^)
Remarks:(^):Color: Matt white (MW) / Dark grey(DG)	


4 Clip-on fixing Left/Right	
Description	Clip-on fixing Left/Right
	CL12E.P3

5 Spacer for clip Left/Right	
Description	Spacer for clip Left/Right
	DA1101F.ZP




Space required

NL: Nominal length
Note: Net height +3mm when installed with huggen PTO system




Cutting size

NL: Nominal length
LW:Inner Cabinet Width



Runner Installation

Same hole pattern for soft closing and push open



*For more detail of huggen PTO system, see page 095-098.

LED GLASS MAGIC BOX

FEATURES

- Fashionable appearance,slow motion,easy assembling
- Optional for Huggen PTO system
- Drawer height 120MM
- Synchronized concealed slide Loading capacity 35KG
- Epoxy coated
- Light colour:10000K
- 3D regulations,up and down,left and right,front and back
- Mat:aluminum+glass




LED GLASS MAGIC BOX
H120



H120mm LED Glass magic box item code				
Nominal length	Item code			The complete set basic components includes
	Soft closing	Rebound	Huggen	
270mm	DBF1.270B1.(^)	DBRF1.270B1.(^)	DBPF1.270B1.(^)	1.Soft closing concealed slide(left/right) with huggen PTO system*
300mm	DBF1.300B1.(^)	DBRF1.300B1.(^)	DBPF1.300B1.(^)	2.LED Glass drawer side Left/Right
350mm	DBF1.350B1.(^)	DBRF1.350B1.(^)	DBPF1.350B1.(^)	3.Front fixing brackets 1*2pcs
400mm	DBF1.400B1.(^)	DBRF1.400B1.(^)	DBPF1.400B1.(^)	4.Clip-on fixing Left/Right
450mm	DBF1.450B1.(^)	DBRF1.450B1.(^)	DBPF1.450B1.(^)	5.Spacer for clip Left/Right
500mm	DBF1.500B1.(^)	DBRF1.500B1.(^)	DBPF1.500B1.(^)	
550mm	DBF1.550B1.(^)	DBRF1.550B1.(^)	DBPF1.550B1.(^)	

Remarks:(^):Color: Matt white (MW) / Dark grey(DG) Patent No.ZL 2017 2 0750286.4


1 Concealed slide Left/Right			
Description	Concealed slide-Soft closing	Concealed slide - Rebound	Concealed slide - HUGGEN
	DBE.(^)SL.ZP	DBRE.(^)SL.ZP	DBPE.(^)SL.ZP
Remarks:(^):Nominal length:270/300/350/400/450/500/550			


2 LED Glass drawer side Left/Right	
Description	LED Glass drawer side Left/Right
	DBF.(^) BW1.(^)
Remarks:(^):Nominal length:270/300/350/400/450/500/550 (^):Color: Matt white (MW) / Dark grey(DG)	


3 Front fixing brackets	
Description	Front fixing brackets
	DA1102F1.120.(^)
Remarks:(^):Color: Matt white (MW) / Dark grey(DG)	


4 Clip-on fixing Left/Right	
Description	Clip-on fixing Left/Right
	CL12E.P3

5 Spacer for clip Left/Right	
Description	Spacer for clip Left/Right
	DA1101F.ZP



Space required	
NL: Nominal length Note: Net height +3mm when installed with huggen PTO system	
	

Cutting size	
NL: Nominal length LW:Inner Cabinet Width	
	

Runner Installation	
Same hole pattern for soft closing and push open	
	

*For more detail of huggen PTO system, see page 095-098.

LED GLASS MAGIC BOX

FEATURES

- Fashionable appearance,slow motion,easy assembling
- Optional for Huggen PTO system
- Drawer height 170MM
- Synchronized concealed slide Loading capacity 35KG
- Epoxy coated
- Light colour:10000K
- 3D regulations,up and down,left and right,front and back
- Mat:aluminum+glass



LED GLASS MAGIC BOX
H170



H170mm LED Glass magic box item code				
Nominal length	Item code			The complete set basic components includes
	Soft closing	Rebound	Huggen	
270mm	DBF1.270C1.(^)	DBRF1.270C1.(^)	DBPF1.270C1.(^)	1.Soft closing concealed slide(left/right) with huggen PTO system*
300mm	DBF1.300C1.(^)	DBRF1.300C1.(^)	DBPF1.300C1.(^)	2.LED Glass drawer side Left/Right
350mm	DBF1.350C1.(^)	DBRF1.350C1.(^)	DBPF1.350C1.(^)	3.Front fixing brackets 1*2pcs
400mm	DBF1.400C1.(^)	DBRF1.400C1.(^)	DBPF1.400C1.(^)	4.Clip-on fixing Left/Right
450mm	DBF1.450C1.(^)	DBRF1.450C1.(^)	DBPF1.450C1.(^)	5.Spacer for clip Left/Right
500mm	DBF1.500C1.(^)	DBRF1.500C1.(^)	DBPF1.500C1.(^)	
550mm	DBF1.550C1.(^)	DBRF1.550C1.(^)	DBPF1.550C1.(^)	

Remarks:(^):Color: Matt white (MW) / Dark grey(DG) Patent No.ZL 2017 2 0750286.4


1 Concealed slide Left / Right			
Description	Concealed slide-Soft closing	Concealed slide - Rebound	Concealed slide - HUGGEN
	DBE.(^)SL.ZP	DBRE.(^)SL.ZP	DBPE.(^)SL.ZP
Remarks:(^):Nominal length:270/300/350/400/450/500/550			

2 LED Glass drawer side Left/Right	
Description	LED Glass drawer side Left/Right
	DBF.(^) CW1.(^)
Remarks:(^):Nominal length:270/300/350/400/450/500/550 (^):Color: Matt white (MW) / Dark grey(DG)	

3 Front fixing brackets	
Description	Front fixing brackets
	DA1102F1.170.(^)
Remarks:(^):Color: Matt white (MW) / Dark grey(DG)	


4 Clip-on fixing Left/Right	
Description	Clip-on fixing Left/Right
	CL12E.P3

5 Spacer for clip Left/Right	
Description	Spacer for clip Left/Right
	DA1101F.ZP




Space required

NL: Nominal length
Note: Net height +3mm when installed with huggen PTO system




Cutting size

NL: Nominal length
LW:Inner Cabinet Width



Runner Installation

Same hole pattern for soft closing and push open





*For more detail of huggen PTO system, see page 095-098.


INSTALLATION INSTRUCTION


LED GLASS MAGIC BOX

H=80mm installation instruction


Inside cabinet dimension


Front panel mounting positions


Front fixing brackets positions


Back panel mounting positions

H=120mm installation instruction


Inside cabinet dimension


Front panel mounting positions


Front fixing brackets positions


Back panel mounting positions

H=170mm installation instruction


Inside cabinet dimension


Front panel mounting positions


Front fixing brackets positions


Back panel mounting positions

Installation instruction


Front fixing brackets mounting

Bottom panel mounting


Back panel mounting


Back panel mounting


Installation instruction

Spacer installation

1. Make sure the pad is up to A direction without gap.
2. Make sure the pad is level with the front edge of bottom panel along B direction.


Clip-on fixing mounting

Front panel mounting

Battery holder installation


Six "AAA" batteries are needed

Installation instruction

Battery holder installation


Six "AAA" batteries are needed


Installation instruction

Position fixing


Locating plate

1. Drill the screw holes at the position fixing point.
2. Fold the card along B line for the drawer box with front panel, and A line for inner drawer box.

Sensor fixing


ka

Installation instruction

Drawer adjustment

±1.5mm

±0.5mm

Drawer box disassembly



A ingenious design of 53mm soft closing journey makes the movement perfectly.

GLASS MAGIC BOX

GLASS MAGIC BOX

FEATURES

- Fashionable appearance,slow motion,easy assembling
- Optional for Huggen PTO system
- Drawer height 80MM
- Synchronized concealed slide Loading capacity 35KG
- Epoxy coated
- 3D regulations,up and down,left and right,front and back
- Mataluminum+glass



GLASS MAGIC BOX
H80



H80mm Glass magic box item code				
Nominal length	Item code			The complete set basic components includes
	Soft closing	Rebound	Huggen	
270mm	DBF1.270A2.(^)	DBRF1.270A2.(^)	DBPF1.270A2.(^)	1.Soft closing concealed slide(left/right) with huggen PTO system*
300mm	DBF1.300A2.(^)	DBRF1.300A2.(^)	DBPF1.300A2.(^)	2.Glass drawer side Left/Right
350mm	DBF1.350A2.(^)	DBRF1.350A2.(^)	DBPF1.350A2.(^)	3.Front fixing brackets 1*2pcs
400mm	DBF1.400A2.(^)	DBRF1.400A2.(^)	DBPF1.400A2.(^)	4.Clip-on fixing Left/Right
450mm	DBF1.450A2.(^)	DBRF1.450A2.(^)	DBPF1.450A2.(^)	5.Spacer for clip Left/Right
500mm	DBF1.500A2.(^)	DBRF1.500A2.(^)	DBPF1.500A2.(^)	
550mm	DBF1.550A2.(^)	DBRF1.550A2.(^)	DBPF1.550A2.(^)	

Remarks:(^):Color: Matt white (MW) / Dark grey(DG) Patent No.ZL 2017 2 0750286.4


1 Concealed slide Left / Right			
Description	Concealed slide-Soft closing	Concealed slide - Rebound	Concealed slide - HUGGEN
	DBE.(^)SL.ZP	DBRE.(^)SL.ZP	DBPE.(^)SL.ZP
Remarks:(^):Nominal length:270/300/350/400/450/500/550			


2 Glass drawer side Left / Right	
Description	Glass drawer side Left/Right
	DBF.(^) AW2.(^)
Remarks:(^):Nominal length:270/300/350/400/450/500/550 (^):Color: Matt white (MW) / Dark grey(DG)	


3 Front fixing brackets	
Description	Front fixing brackets
	DA1102F1.80.(^)
Remarks:(^):Color: Matt white (MW) / Dark grey(DG)	


4 Clip-on fixing Left/Right	
Description	Clip-on fixing Left/Right
	CL12E.P3

5 Spacer for clip Left/Right	
Description	Spacer for clip Left/Right
	DA1101F.ZP



Space required	
NL: Nominal length Note: Net height +3mm when installed with huggen PTO system	
	

Cutting size	
NL: Nominal length LW:Inner Cabinet Width	
	

Runner Installation	
Same hole pattern for soft closing and push open	
	

*For more detail of huggen PTO system, see page 095-098.

GLASS MAGIC BOX

FEATURES

- Fashionable appearance,slow motion,easy assembling
- Optional for Huggen PTO system
- Drawer height 120MM
- Synchronized concealed slide Loading capacity 35KG
- Epoxy coated
- 3D regulations,up and down,left and right,front and back
- Mataluminum+glass



GLASS MAGIC BOX
H120



H120mm Glass magic box item code				
Nominal length	Item code			The complete set basic components includes
	Soft closing	Rebound	Huggen	
270mm	DBF1.270B2.(^)	DBRF1.270B2.(^)	DBPF1.270B2.(^)	1.Soft closing concealed slide(left/right) with huggen PTO system*
300mm	DBF1.300B2.(^)	DBRF1.300B2.(^)	DBPF1.300B2.(^)	2.Glass drawer side Left/Right
350mm	DBF1.350B2.(^)	DBRF1.350B2.(^)	DBPF1.350B2.(^)	3.Front fixing brackets 1*2pcs
400mm	DBF1.400B2.(^)	DBRF1.400B2.(^)	DBPF1.400B2.(^)	4.Clip-on fixing Left/Right
450mm	DBF1.450B2.(^)	DBRF1.450B2.(^)	DBPF1.450B2.(^)	5.Spacer for clip Left/Right
500mm	DBF1.500B2.(^)	DBRF1.500B2.(^)	DBPF1.500B2.(^)	
550mm	DBF1.550B2.(^)	DBRF1.550B2.(^)	DBPF1.550B2.(^)	

Remarks:(^):Color: Matt white (MW) / Dark grey(DG) Patent No.ZL 2017 2 0750286.4


1 Concealed slide Left/Right			
Description	Concealed slide-Soft closing	Concealed slide - Rebound	Concealed slide - HUGGEN
	DBE.(^)SL.ZP	DBRE.(^)SL.ZP	DBPE.(^)SL.ZP
Remarks:(^):Nominal length:270/300/350/400/450/500/550			


2 Glass drawer side Left/Right	
Description	Glass drawer side Left/Right
	DBF.(^) BW2.(^)
Remarks:(^):Nominal length:270/300/350/400/450/500/550 (^):Color: Matt white (MW) / Dark grey(DG)	


3 Front fixing brackets	
Description	Front fixing brackets
	DA1102F1.120.(^)
Remarks:(^):Color: Matt white (MW) / Dark grey(DG)	


4 Clip-on fixing Left/Right	
Description	Clip-on fixing Left/Right
	CL12E.P3

5 Spacer for clip Left/Right	
Description	Spacer for clip Left/Right
	DA1101F.ZP



Space required	
NL: Nominal length Note: Net height +3mm when installed with huggen PTO system	
	

Cutting size	
NL: Nominal length LW:Inner Cabinet Width	
	

Runner Installation	
Same hole pattern for soft closing and push open	
	

*For more detail of huggen PTO system, see page 095-098.

GLASS MAGIC BOX

FEATURES

- Fashionable appearance,slow motion,easy assembling
- Optional for Huggen PTO system
- Drawer height 170MM
- Synchronized concealed slide Loading capacity 35KG
- Epoxy coated
- 3D regulations,up and down,left and right,front and back
- Mataluminum+glass



GLASS MAGIC BOX
H170



H170mm Glass magic box item code				
Nominal length	Item code			The complete set basic components includes
	Soft closing	Rebound	Huggen	
270mm	DBF1.270C2.(^)	DBRF1.270C2.(^)	DBPF1.270C2.(^)	1.Soft closing concealed slide(left/right) with huggen PTO system*
300mm	DBF1.300C2.(^)	DBRF1.300C2.(^)	DBPF1.300C2.(^)	2.Glass drawer side Left/Right
350mm	DBF1.350C2.(^)	DBRF1.350C2.(^)	DBPF1.350C2.(^)	3.Front fixing brackets 1*2pcs
400mm	DBF1.400C2.(^)	DBRF1.400C2.(^)	DBPF1.400C2.(^)	4.Clip-on fixing Left/Right
450mm	DBF1.450C2.(^)	DBRF1.450C2.(^)	DBPF1.450C2.(^)	5.Spacer for clip Left/Right
500mm	DBF1.500C2.(^)	DBRF1.500C2.(^)	DBPF1.500C2.(^)	
550mm	DBF1.550C2.(^)	DBRF1.550C2.(^)	DBPF1.550C2.(^)	

Remarks:(^):Color: Matt white (MW) / Dark grey(DG) Patent No.ZL 2017 2 0750286.4


1 Concealed slide Left/Right			
Description	Concealed slide-Soft closing	Concealed slide - Rebound	Concealed slide - HUGGEN
	DBE.(^)SL.ZP	DBRE.(^)SL.ZP	DBPE.(^)SL.ZP
Remarks:(^):Nominal length:270/300/350/400/450/500/550			

2 Glass drawer side Left/Right	
Description	Glass drawer side Left/Right
	DBF.(^) CW2.(^)
Remarks:(^):Nominal length:270/300/350/400/450/500/550 (^):Color: Matt white (MW) / Dark grey(DG)	

3 Front fixing brackets	
Description	Front fixing brackets
	DA1102F1.170.(^)
Remarks:(^):Color: Matt white (MW) / Dark grey(DG)	


4 Clip-on fixing Left/Right	
Description	Clip-on fixing Left/Right
	CL12E.P3

5 Spacer for clip Left/Right	
Description	Spacer for clip Left/Right
	DA1101F.ZP




Space required

NL: Nominal length
Note: Net height +3mm when installed with huggen PTO system




Cutting size

NL: Nominal length
LW:Inner Cabinet Width



Runner Installation

Same hole pattern for soft closing and push open



*For more detail of huggen PTO system, see page 095-098.

INSTALLATION INSTRUCTION

GLASS MAGIC BOX

H=80mm installation instruction

Inside cabinet dimension

Front panel mounting positions

Front fixing brackets positions

Back panel mounting positions

H=120mm installation instruction

Inside cabinet dimension

Front panel mounting positions

Front fixing brackets positions

Back panel mounting positions

H=170mm installation instruction

Inside cabinet dimension

Front panel mounting positions

Front fixing brackets positions

Back panel mounting positions

Installation instruction

Front fixing brackets mounting

Bottom panel mounting

Back panel mounting

Back panel mounting

Installation instruction

Spacer installation

Clip-on fixing mounting

Front panel mounting

Installation instruction

Battery holder installation

Installation instruction

Drawer adjustment

Drawer box disassembly

MAGIC BOX -Balance of
functional and beauty

MAGIC BOX



MAGIC BOX

FEATURES

- Fashionable appearance,slow motion,easy assembling
- Optional for Huggen PTO system
- Drawer height 80MM
- Synchronized concealed slide Loading capacity 35KG
- Epoxy coated
- 3D regulations,up and down,left and right,front and back
- Mat:steel



MAGIC BOX
H80



H80mm Magic box item code							
Nominal length	Front fixing bracket						The complete set basic components includes
	Dowel-Soft closing	Screw-Soft closing	Dowel-Rebound	Screw-Rebound	Dowel-Huggen	Screw-Huggen	
270mm	DBE2.270A.(^)	DBE1.270A.(^)	DBRE2.270A.(^)	DBRE1.270A.(^)	DBPE2.270A.(^)	DBPE1.270A.(^)	1.Soft closing concealed slide(left/right) with huggen PTO system*
300mm	DBE2.300A.(^)	DBE1.300A.(^)	DBRE2.300A.(^)	DBRE1.300A.(^)	DBPE2.300A.(^)	DBPE1.300A.(^)	2.Drawer side Left/Right
350mm	DBE2.350A.(^)	DBE1.350A.(^)	DBRE2.350A.(^)	DBRE1.350A.(^)	DBPE2.350A.(^)	DBPE1.350A.(^)	3.Plastic covers 1*2pcs
400mm	DBE2.400A.(^)	DBE1.400A.(^)	DBRE2.400A.(^)	DBRE1.400A.(^)	DBPE2.400A.(^)	DBPE1.400A.(^)	4.Front fixing brackets 1*2pcs
450mm	DBE2.450A.(^)	DBE1.450A.(^)	DBRE2.450A.(^)	DBRE1.450A.(^)	DBPE2.450A.(^)	DBPE1.450A.(^)	5.Clip-on fixing Left/Right
500mm	DBE2.500A.(^)	DBE1.500A.(^)	DBRE2.500A.(^)	DBRE1.500A.(^)	DBPE2.500A.(^)	DBPE1.500A.(^)	6.Back panel adapters 1*2pcs
550mm	DBE2.550A.(^)	DBE1.550A.(^)	DBRE2.550A.(^)	DBRE1.550A.(^)	DBPE2.550A.(^)	DBPE1.550A.(^)	

Remarks:(^):Color: Matt white (MW) / Dark grey(DG)

1 Concealed slide Left/Right			
Description	Concealed slide-Soft closing	Concealed slide - Rebound	Concealed slide - HUGGEN
	DBE.(^)SL.ZP	DBRE.(^)SL.ZP	DBPE.(^)SL.ZP
	Remarks:(^):Nominal length:270/300/350/400/450/500/550		


2 Drawer side Left/Right	
Description	Drawer side Left/Right
	DBE.(^) AW.(^)
	Remarks:(^):Nominal length:270/300/350/400/450/500/550 (^):Color: Matt white (MW) / Dark grey(DG)

3 Plastic covers	
Description	Plastic covers
	DA1101E1.(^)
	Remarks:(^):Color: Matt white (MW) / Dark grey(DG)

4 Front fixing brackets			
Description		Front fixing brackets	
Dowel	Screw	Dowel	Screw
		DA1102E2.ZP	DA1102E1.ZP

5 Clip-on fixing Left/Right	
Description	Clip-on fixing Left/Right
	DBE.SL1.GR

6 Back panel adapters	
Description	Back panel adapters
	DA1103E1.80.(^)
	Remarks:(^):Color: Matt white (MW) / Dark grey(DG)



Space required

NL: Nominal length
Note: Net height +3mm when installed with huggen PTO system

Cutting size

NL: Nominal length
LW:Inner Cabinet Width

Runner Installation

Same hole pattern for soft closing and push open

*For more detail of huggen PTO system, see page 095-098.

MAGIC BOX

FEATURES

- Fashionable appearance,slow motion,easy assembling
- Optional for Huggen PTO system
- Drawer height 120MM
- Synchronized concealed slide Loading capacity 35KG
- Epoxy coated
- 3D regulations,up and down,left and right,front and back
- Matsteel



MAGIC BOX
H120



H120mm Magic box item code							
Nominal length	Front fixing bracket						The complete set basic components includes
	Dowel-Soft closing	Screw-Soft closing	Dowel-Rebound	Screw-Rebound	Dowel-Huggen	Screw-Huggen	
270mm	DBE2.270B.(^)	DBE1.270B.(^)	DBRE2.270B.(^)	DBRE1.270B.(^)	DBPE2.270B.(^)	DBPE1.270B.(^)	1.Soft closing concealed slide(left/right) with huggen PTO system*
300mm	DBE2.300B.(^)	DBE1.300B.(^)	DBRE2.300B.(^)	DBRE1.300B.(^)	DBPE2.300B.(^)	DBPE1.300B.(^)	
350mm	DBE2.350B.(^)	DBE1.350B.(^)	DBRE2.350B.(^)	DBRE1.350B.(^)	DBPE2.350B.(^)	DBPE1.350B.(^)	2.Drawer side Left/Right
400mm	DBE2.400B.(^)	DBE1.400B.(^)	DBRE2.400B.(^)	DBRE1.400B.(^)	DBPE2.400B.(^)	DBPE1.400B.(^)	3.Plastic covers 1*2pcs
450mm	DBE2.450B.(^)	DBE1.450B.(^)	DBRE2.450B.(^)	DBRE1.450B.(^)	DBPE2.450B.(^)	DBPE1.450B.(^)	4.Front fixing brackets 1*2pcs
500mm	DBE2.500B.(^)	DBE1.500B.(^)	DBRE2.500B.(^)	DBRE1.500B.(^)	DBPE2.500B.(^)	DBPE1.500B.(^)	5.Clip-on fixing Left/Right
550mm	DBE2.550B.(^)	DBE1.550B.(^)	DBRE2.550B.(^)	DBRE1.550B.(^)	DBPE2.550B.(^)	DBPE1.550B.(^)	6.Back panel adapters 1*2pcs

Remarks:(^):Color: Matt white (MW) / Dark grey(DG)

1 Concealed slide Left/Right			
Description	Concealed slide-Soft closing	Concealed slide - Rebound	Concealed slide - HUGGEN
	DBE.(^)SL.ZP	DBRE.(^)SL.ZP	DBPE.(^)SL.ZP
	Remarks:(^):Nominal length:270/300/350/400/450/500/550		


2 Drawer side Left/Right	
Description	Drawer side Left/Right
	DBE.(^) BW.(^)
	Remarks:(^):Nominal length:270/300/350/400/450/500/550 (^):Color: Matt white (MW) / Dark grey(DG)

3 Plastic covers	
Description	Plastic covers
	DA1101E1.(^)
	Remarks:(^):Color: Matt white (MW) / Dark grey(DG)

4 Front fixing brackets			
Description		Front fixing brackets	
Dowel	Screw	Dowel	Screw
		DA1102E6.ZP	DA1102E5.ZP

5 Clip-on fixing Left/Right	
Description	Clip-on fixing Left/Right
	DBE.SL1.GR

6 Back panel adapters	
Description	Back panel adapters
	DA1103E1.120.(^)
	Remarks:(^):Color: Matt white (MW) / Dark grey(DG)



Space required

NL: Nominal length
Note: net height +3mm when installed with huggen PTO system

Cutting size

NL: Nominal length
LW:Inner Cabinet Width

Runner Installation

Same hole pattern for soft closing and push open

*For more detail of huggen PTO system, see page 095-098.

MAGIC BOX

FEATURES

- Fashionable appearance,slow motion,easy assembling
- Optional for Huggen PTO system
- Drawer height 170MM
- Synchronized concealed slide Loading capacity 35KG
- Epoxy coated
- 3D regulations,up and down,left and right,front and back
- Matsteel



MAGIC BOX
H170



H170mm Magic box item code							
Nominal length	Front fixing bracket						The complete set basic components includes
	Dowel-Soft closing	Screw-Soft closing	Dowel-Rebound	Screw-Rebound	Dowel-Huggen	Screw-Huggen	
270mm	DBE2.270B.(^)	DBE1.270B.(^)	DBRE2.270B.(^)	DBRE1.270B.(^)	DBPE2.270B.(^)	DBPE1.270B.(^)	1.Soft closing concealed slide(left/right) with huggen PTO system*
300mm	DBE2.300B.(^)	DBE1.300B.(^)	DBRE2.300B.(^)	DBRE1.300B.(^)	DBPE2.300B.(^)	DBPE1.300B.(^)	
350mm	DBE2.350B.(^)	DBE1.350B.(^)	DBRE2.350B.(^)	DBRE1.350B.(^)	DBPE2.350B.(^)	DBPE1.350B.(^)	2.Drawer side Left/Right
400mm	DBE2.400B.(^)	DBE1.400B.(^)	DBRE2.400B.(^)	DBRE1.400B.(^)	DBPE2.400B.(^)	DBPE1.400B.(^)	3.Plastic covers 1*2pcs
450mm	DBE2.450B.(^)	DBE1.450B.(^)	DBRE2.450B.(^)	DBRE1.450B.(^)	DBPE2.450B.(^)	DBPE1.450B.(^)	4.Front fixing brackets 1*2pcs
500mm	DBE2.500B.(^)	DBE1.500B.(^)	DBRE2.500B.(^)	DBRE1.500B.(^)	DBPE2.500B.(^)	DBPE1.500B.(^)	5.Clip-on fixing Left/Right
550mm	DBE2.550B.(^)	DBE1.550B.(^)	DBRE2.550B.(^)	DBRE1.550B.(^)	DBPE2.550B.(^)	DBPE1.550B.(^)	6.Back panel adapters 1*2pcs

Remarks:(^):Color: Matt white (MW) / Dark grey(DG)

1 Concealed slide Left/Right			
Description	Concealed slide-Soft closing	Concealed slide - Rebound	Concealed slide - HUGGEN
	DBE.(^)SL.ZP	DBRE.(^)SL.ZP	DBPE.(^)SL.ZP
	Remarks:(^):Nominal length:270/300/350/400/450/500/550		


2 Drawer side Left/Right	
Description	Drawer side Left/Right
	DBE.(^) CW.(^)
	Remarks:(^):Nominal length:270/300/350/400/450/500/550 (^):Color: Matt white (MW) / Dark grey(DG)

3 Plastic covers	
Description	Plastic covers
	DA1101E1.(^)
	Remarks:(^):Color: Matt white (MW) / Dark grey(DG)

4 Front fixing brackets			
Description		Front fixing brackets	
Dowel	Screw	Dowel	Screw
		DA1102E4.ZP	DA1102E3.ZP

5 Clip-on fixing Left/Right	
Description	Clip-on fixing Left/Right
	DBE.SL1.GR

6 Back panel adapters	
Description	Back panel adapters
	DA1103E1.170.(^)
	Remarks:(^):Color: Matt white (MW) / Dark grey(DG)



Space required

NL: Nominal length
Note: net height +3mm when installed with huggen PTO system

Cutting size

NL: Nominal length
LW:Inner Cabinet Width

Runner Installation

Same hole pattern for soft closing and push open

*For more detail of huggen PTO system, see page 095-098.

MAGIC BOX

FEATURES

- Fashionable appearance,slow motion,easy assembling
- Optional for Huggen PTO system
- Any height,with square railing
- Synchronized concealed slide Loading capacity 35KG
- Epoxy coated
- 3D regulations,up and down,left and right,front and back
- Mat:steel



MAGIC BOX

H=Any height (with square railing)



Any height Magic box item code(with square railing)							
Nominal length	Front fixing bracket						The complete set basic components includes
	Dowel-Soft closing	Screw-Soft closing	Dowel-Rebound	Screw-Rebound	Dowel-Huggen	Screw-Huggen	
270mm	DBE2.270EC1.(^)	DBE1.270EC1.(^)	DBRE2.270EC1.(^)	DBRE1.270EC1.(^)	DBPE2.270EC1.(^)	DBPE1.270EC1.(^)	1.Soft closing concealed slide(left/right) with huggen PTO system*
300mm	DBE2.300EC1.(^)	DBE1.300EC1.(^)	DBRE2.300EC1.(^)	DBRE1.300EC1.(^)	DBPE2.300EC1.(^)	DBPE1.300EC1.(^)	2.Drawer side Left/Right
350mm	DBE2.350EC1.(^)	DBE1.350EC1.(^)	DBRE2.350EC1.(^)	DBRE1.350EC1.(^)	DBPE2.350EC1.(^)	DBPE1.350EC1.(^)	3.Plastic covers 1*2pcs
400mm	DBE2.400EC1.(^)	DBE1.400EC1.(^)	DBRE2.400EC1.(^)	DBRE1.400EC1.(^)	DBPE2.400EC1.(^)	DBPE1.400EC1.(^)	4.Front fixing brackets 1*2pcs
450mm	DBE2.450EC1.(^)	DBE1.450EC1.(^)	DBRE2.450EC1.(^)	DBRE1.450EC1.(^)	DBPE2.450EC1.(^)	DBPE1.450EC1.(^)	5.Clip-on fixing Left/Right
500mm	DBE2.500EC1.(^)	DBE1.500EC1.(^)	DBRE2.500EC1.(^)	DBRE1.500EC1.(^)	DBPE2.500EC1.(^)	DBPE1.500EC1.(^)	6.Back panel adapters 1*2pcs
550mm	DBE2.550EC1.(^)	DBE1.550EC1.(^)	DBRE2.550EC1.(^)	DBRE1.550EC1.(^)	DBPE2.550EC1.(^)	DBPE1.550EC1.(^)	7.Square railing Left/Right

Remarks:(^):Color: Matt white (MW) / Dark grey(DG)

1 Concealed slide Left/Right			
Description	Concealed slide-Soft closing	Concealed slide - Rebound	Concealed slide - HUGGEN
	DBE.(^)*SL.ZP	DBRE.(^)*SL.ZP	DBPE.(^)*SL.ZP
	Remarks:(^):Nominal length:270/300/350/400/450/500/550		


2 Drawer side Left/Right	
Description	Drawer side Left/Right
	DBE.(^)*AW.(^)
	Remarks:(^):Nominal length:270/300/350/400/450/500/550 (^):Color: Matt white (MW) / Dark grey(DG)

3 Plastic covers	
Description	Plastic covers
	DA1101E1.(^)
	Remarks:(^):Color: Matt white (MW) / Dark grey(DG)

4 Front fixing brackets			
Description		Front fixing brackets	
Dowel	Screw	Dowel	Screw
		DA1102E2.ZP	DA1102E1.ZP

5 Clip-on fixing Left/Right		6 Back panel adapters	
Description	Clip-on fixing Left/Right	Description	Back panel adapters
	DBE.SL1.GR		DA1103E1.80.(^)
			(^):Color: Matt white (MW) / Dark grey(DG)

7 Square railing Left/Right	
Description	Square railing Left/Right
	DA2101E1.(^).(^)
	Remarks:(^):Nominal length:270/300/350/400/450/500/550 (^):Color: Matt white (MW) / Dark grey(DG)



Space required

NL: Nominal length
Note: Net height +3mm when installed with huggen PTO system

Cutting size

NL: Nominal length
LW:Inner Cabinet Width

Runner Installation

Same hole pattern for soft closing and push open

*For more detail of huggen PTO system, see page 095-098.

INSTALLATION INSTRUCTION

MAGIC BOX

H=80mm installation instruction

Inside cabinet dimension

Front panel mounting positions

Front fixing brackets positions

Back panel mounting positions

H=120mm installation instruction

Inside cabinet dimension

Front panel mounting positions

Front fixing brackets positions

Back panel mounting positions

H=170mm installation instruction

Inside cabinet dimension

Front panel mounting positions

Front fixing brackets positions

Back panel mounting positions

H=Any height installation instruction

Inside cabinet dimension

Front panel mounting positions

Front fixing brackets positions

Back panel mounting positions

Installation instruction

Back panel adapter mounting

Bottom panel mounting

Back panel mounting

Installation instruction

Front fixing brackets mounting

Front fixing brackets mounting of square railing

Installation instruction

Front panel mounting

Clip-on fixing mounting

Installation instruction


Drawer mounting

INSTALLATION INSTRUCTION


MAGIC BOX

Installation instruction

Front panel height adjustment: $\pm 2\text{mm}$




Front panel side adjustment: $\pm 1.5\text{mm}$




Installation instruction


Adjustment of front panel: $\pm 1.5\text{mm}$



Installation instruction


Front panel disassembly






Installation instruction


Drawer box disassembly





Installation instruction

Front fixing brackets mounting










Installation instruction

Adjustment of square railing



Installation instruction

Installation instruction



REGIC BOX -The unique charm of
the space master

REGIC BOX

REGIC BOX

FEATURES

- Fashionable appearance,slow motion,easy assembling
- Optional for Huggen PTO system
- Drawer height 80MM
- Synchronized concealed slide Loading capacity 35KG
- Epoxy coated
- Up and down,left and right,4 dimensional adjustment
- Mat:steel



REGIC BOX
H80



H=80mm Regic box item code							
Nominal length	Front fixing bracket						The complete set basic components includes
	Dowel-Soft closing	Screw-Soft closing	Dowel-Rebound	Screw-Rebound	Dowel-Huggen	Screw-Huggen	
270mm	DBEE2.270A1.(^)	DBEE1.270A1.(^)	DBREE2.270A1.(^)	DBREE1.270A1.(^)	DBPEE2.270A1.(^)	DBPEE1.270A1.(^)	1.Soft closing concealed slide(left/right) with huggen PTO system*
300mm	DBEE2.300A1.(^)	DBEE1.300A1.(^)	DBREE2.300A1.(^)	DBREE1.300A1.(^)	DBPEE2.300A1.(^)	DBPEE1.300A1.(^)	
350mm	DBEE2.350A1.(^)	DBEE1.350A1.(^)	DBREE2.350A1.(^)	DBREE1.350A1.(^)	DBPEE2.350A1.(^)	DBPEE1.350A1.(^)	2.Drawer side Left/Right
400mm	DBEE2.400A1.(^)	DBEE1.400A1.(^)	DBREE2.400A1.(^)	DBREE1.400A1.(^)	DBPEE2.400A1.(^)	DBPEE1.400A1.(^)	3.Plastic covers 1*2pcs
450mm	DBEE2.450A1.(^)	DBEE1.450A1.(^)	DBREE2.450A1.(^)	DBREE1.450A1.(^)	DBPEE2.450A1.(^)	DBPEE1.450A1.(^)	4.Front fixing brackets 1*2pcs
500mm	DBEE2.500A1.(^)	DBEE1.500A1.(^)	DBREE2.500A1.(^)	DBREE1.500A1.(^)	DBPEE2.500A1.(^)	DBPEE1.500A1.(^)	5.Back panel adapters 1*2pcs
550mm	DBEE2.550A1.(^)	DBEE1.550A1.(^)	DBREE2.550A1.(^)	DBREE1.550A1.(^)	DBPEE2.550A1.(^)	DBPEE1.550A1.(^)	

Remarks:(^):Color: Matt white (MW) / Dark grey(DG)


1 Concealed slide Left/Right			
Description	Concealed slide-Soft closing	Concealed slide - Rebound	Concealed slide - HUGGEN
	DBEE.(^)*SL1.ZP	DBREE.(^)*SL1.ZP	DBPEE.(^)*SL1.ZP
	Remarks:(^):Nominal length:270/300/350/400/450/500/550		

2 Drawer side Left/Right	
Description	Drawer side Left/Right
	DBEE.(^)* AW.(^)*
	Remarks:(^):Nominal length:270/300/350/400/450/500/550 (^):Color: Matt white (MW) / Dark grey(DG)

3 Plastic covers	
Description	Plastic covers
	DA1101E1.(^)
	Remarks:(^):Color: Matt white (MW) / Dark grey(DG)

4 Front fixing brackets			
Description		Front fixing brackets	
Dowel	Screw	Dowel	Screw
		DA1102E2.ZP	DA1102E1.ZP

5 Back panel adapters	
Description	Back panel adapters
	DA1103E1.80.(^)
	Remarks:(^):Color: Matt white (MW) / Dark grey(DG)



Space required

NL: Nominal length
Note: Net height +3mm when installed with huggen PTO system

Cutting size

NL: Nominal length
LW:Inner Cabinet Width

Runner Installation

Same hole pattern for soft closing and push open

*For more detail of huggen PTO system, see page 095-098.

REGIC BOX

FEATURES

- Fashionable appearance,slow motion,easy assembling
- Optional for Huggen PTO system
- Drawer height 120MM
- Synchronized concealed slide Loading capacity 35KG
- Epoxy coated
- Up and down,left and right,4 dimensional adjustment
- Mat:steel



REGIC BOX
H120



H=120mm Regic box item code							
Nominal length	Front fixing bracket						The complete set basic components includes
	Dowel-Soft closing	Screw-Soft closing	Dowel-Rebound	Screw-Rebound	Dowel-Huggen	Screw-Huggen	
270mm	DBEE2.270B1.(^)	DBEE1.270B1.(^)	DBREE2.270B1.(^)	DBREE1.270B1.(^)	DBPEE2.270B1.(^)	DBPEE1.270B1.(^)	1.Soft closing concealed slide(left/right) with huggen PTO system*
300mm	DBEE2.300B1.(^)	DBEE1.300B1.(^)	DBREE2.300B1.(^)	DBREE1.300B1.(^)	DBPEE2.300B1.(^)	DBPEE1.300B1.(^)	
350mm	DBEE2.350B1.(^)	DBEE1.350B1.(^)	DBREE2.350B1.(^)	DBREE1.350B1.(^)	DBPEE2.350B1.(^)	DBPEE1.350B1.(^)	2.Drawer side Left/Right
400mm	DBEE2.400B1.(^)	DBEE1.400B1.(^)	DBREE2.400B1.(^)	DBREE1.400B1.(^)	DBPEE2.400B1.(^)	DBPEE1.400B1.(^)	3.Plastic covers 1*2pcs
450mm	DBEE2.450B1.(^)	DBEE1.450B1.(^)	DBREE2.450B1.(^)	DBREE1.450B1.(^)	DBPEE2.450B1.(^)	DBPEE1.450B1.(^)	4.Front fixing brackets 1*2pcs
500mm	DBEE2.500B1.(^)	DBEE1.500B1.(^)	DBREE2.500B1.(^)	DBREE1.500B1.(^)	DBPEE2.500B1.(^)	DBPEE1.500B1.(^)	5.Back panel adapters 1*2pcs
550mm	DBEE2.550B1.(^)	DBEE1.550B1.(^)	DBREE2.550B1.(^)	DBREE1.550B1.(^)	DBPEE2.550B1.(^)	DBPEE1.550B1.(^)	

Remarks:(^):Color: Matt white (MW) / Dark grey(DG)


1 Concealed slide Left/Right			
Description	Concealed slide-Soft closing	Concealed slide - Rebound	Concealed slide - HUGGEN
	DBEE.(^)*SL1.ZP	DBREE.(^)*SL1.ZP	DBPEE.(^)*SL1.ZP
	Remarks:(^):Nominal length:270/300/350/400/450/500/550		

2 Drawer side Left/Right	
Description	Drawer side Left/Right
	DBEE.(^)* BW.(^)
	Remarks:(^):Nominal length:270/300/350/400/450/500/550 (^):Color: Matt white (MW) / Dark grey(DG)

3 Plastic covers	
Description	Plastic covers
	DA1101E1.(^)
	Remarks:(^):Color: Matt white (MW) / Dark grey(DG)

4 Front fixing brackets			
Description		Front fixing brackets	
Dowel	Screw	Dowel	Screw
		DA1102E6.ZP	DA1102E5.ZP

5 Back panel adapters	
Description	Back panel adapters
	DA1103E1.120.(^)
	Remarks:(^):Color: Matt white (MW) / Dark grey(DG)



Space required

NL: Nominal length
Note: Net height +3mm when installed with huggen PTO system

Cutting size

NL: Nominal length
LW:Inner Cabinet Width

Runner Installation

Same hole pattern for soft closing and push open

*For more detail of huggen PTO system, see page 095-098.

REGIC BOX

FEATURES

- Fashionable appearance,slow motion,easy assembling
- Optional for Huggen PTO system
- Drawer height 170MM
- Synchronized concealed slide Loading capacity 35KG
- Epoxy coated
- Up and down,left and right,4 dimensional adjustment
- Mat:steel



REGIC BOX
H170



H=170mm Regic box item code							
Nominal length	Front fixing bracket						The complete set basic components includes
	Dowel-Soft closing	Screw-Soft closing	Dowel-Rebound	Screw-Rebound	Dowel-Huggen	Screw-Huggen	
270mm	DBEE2.270C1.(^)	DBEE1.270C1.(^)	DBREE2.270C1.(^)	DBREE1.270C1.(^)	DBPEE2.270C1.(^)	DBPEE1.270C1.(^)	1.Soft closing concealed slide(left/right) with huggen PTO system*
300mm	DBEE2.300C1.(^)	DBEE1.300C1.(^)	DBREE2.300C1.(^)	DBREE1.300C1.(^)	DBPEE2.300C1.(^)	DBPEE1.300C1.(^)	
350mm	DBEE2.350C1.(^)	DBEE1.350C1.(^)	DBREE2.350C1.(^)	DBREE1.350C1.(^)	DBPEE2.350C1.(^)	DBPEE1.350C1.(^)	2.Drawer side Left/Right
400mm	DBEE2.400C1.(^)	DBEE1.400C1.(^)	DBREE2.400C1.(^)	DBREE1.400C1.(^)	DBPEE2.400C1.(^)	DBPEE1.400C1.(^)	3.Plastic covers 1*2pcs
450mm	DBEE2.450C1.(^)	DBEE1.450C1.(^)	DBREE2.450C1.(^)	DBREE1.450C1.(^)	DBPEE2.450C1.(^)	DBPEE1.450C1.(^)	4.Front fixing brackets 1*2pcs
500mm	DBEE2.500C1.(^)	DBEE1.500C1.(^)	DBREE2.500C1.(^)	DBREE1.500C1.(^)	DBPEE2.500C1.(^)	DBPEE1.500C1.(^)	5.Back panel adapters 1*2pcs
550mm	DBEE2.550C1.(^)	DBEE1.550C1.(^)	DBREE2.550C1.(^)	DBREE1.550C1.(^)	DBPEE2.550C1.(^)	DBPEE1.550C1.(^)	

Remarks:(^):Color: Matt white (MW) / Dark grey(DG)


1 Concealed slide Left/Right			
Description	Concealed slide-Soft closing	Concealed slide - Rebound	Concealed slide - HUGGEN
	DBEE.(^)*SL1.ZP	DBREE.(^)*SL1.ZP	DBPEE.(^)*SL1.ZP
	Remarks:(^):Color: Matt white (MW) / Dark grey(DG)		

2 Drawer side Left/Right	
Description	Drawer side Left/Right
	DBEE.(^)* CW.(^)
	Remarks:(^):Nominal length:270/300/350/400/450/500/550 (^):Color: Matt white (MW) / Dark grey(DG)

3 Plastic covers	
Description	Plastic covers
	DA1101E1.(^)
	Remarks:(^):Color: Matt white (MW) / Dark grey(DG)

4 Front fixing brackets			
Description		Front fixing brackets	
Dowel	Screw	Dowel	Screw
		DA1102E4.ZP	DA1102E3.ZP

5 Back panel adapters	
Description	Back panel adapters
	DA1103E1.170.(^)
	Remarks:(^):Color: Matt white (MW) / Dark grey(DG)



Space required

NL: Nominal length
Note: Net height +3mm when installed with huggen PTO system

Cutting size

NL: Nominal length
LW:Inner Cabinet Width

Runner Installation

Same hole pattern for soft closing and push open

*For more detail of huggen PTO system, see page 095-098.

REGIC BOX

FEATURES

- Fashionable appearance,slow motion,easy assembling
- Optional for Huggen PTO system
- Any height,with square railing
- Synchronized concealed slide Loading capacity 35KG
- Epoxy coated
- Up and down,left and right,4 dimensional adjustment
- Mat:steel



REGIC BOX

H=Any height(With square railing)



Any height Regil box item code(with square railing)							
Nominal length	Front fixing bracket						The complete set basic components includes
	Dowel-Soft closing	Screw-Soft closing	Dowel-Rebound	Screw-Rebound	Dowel-Huggen	Screw-Huggen	
270mm	DBEE2.270EC1.(^)	DBEE1.270EC1.(^)	DBREE2.270EC1.(^)	DBREE1.270EC1.(^)	DBPEE2.270EC1.(^)	DBPEE1.270EC1.(^)	1.Soft closing concealed slide(left/right) with huggen PTO system*
300mm	DBEE2.300EC1.(^)	DBEE1.300EC1.(^)	DBREE2.300EC1.(^)	DBREE1.300EC1.(^)	DBPEE2.300EC1.(^)	DBPEE1.300EC1.(^)	
350mm	DBEE2.350EC1.(^)	DBEE1.350EC1.(^)	DBREE2.350EC1.(^)	DBREE1.350EC1.(^)	DBPEE2.350EC1.(^)	DBPEE1.350EC1.(^)	2.Drawer side Left/Right
400mm	DBEE2.400EC1.(^)	DBEE1.400EC1.(^)	DBREE2.400EC1.(^)	DBREE1.400EC1.(^)	DBPEE2.400EC1.(^)	DBPEE1.400EC1.(^)	3.Plastic covers 1*2pcs
450mm	DBEE2.450EC1.(^)	DBEE1.450EC1.(^)	DBREE2.450EC1.(^)	DBREE1.450EC1.(^)	DBPEE2.450EC1.(^)	DBPEE1.450EC1.(^)	4.Front fixing brackets 1*2pcs
500mm	DBEE2.500EC1.(^)	DBEE1.500EC1.(^)	DBREE2.500EC1.(^)	DBREE1.500EC1.(^)	DBPEE2.500EC1.(^)	DBPEE1.500EC1.(^)	5.Back panel adapters 1*2pcs
550mm	DBEE2.550EC1.(^)	DBEE1.550EC1.(^)	DBREE2.550EC1.(^)	DBREE1.550EC1.(^)	DBPEE2.550EC1.(^)	DBPEE1.550EC1.(^)	Square railing Left/Right

Remarks:(^):Color: Matt white (MW) / Dark grey(DG)

1 Concealed slide Left/Right			
Description	Concealed slide-Soft closing	Concealed slide - Rebound	Concealed slide - HUGGEN
	DBEE.(^)*SL1.ZP	DBREE.(^)*SL1.ZP	DBPEE.(^)*SL1.ZP
	Remarks:(^):Nominal length:270/300/350/400/450/500/550		


2 Drawer side Left/Right	
Description	Drawer side Left/Right
	DBE.(^)* AW.(^)
	Remarks:(^):Nominal length:270/300/350/400/450/500/550 (^):Color: Matt white (MW) / Dark grey(DG)

3 Plastic covers	
Description	Plastic covers
	DA1101E1.(^)
	Remarks:(^):Color: Matt white (MW) / Dark grey(DG)

4 Front fixing brackets			
Description		Front fixing brackets	
Dowel	Screw	Dowel	Screw
		DA1102E2.ZP	DA1102E1.ZP

5 Back panel adapters	
Description	Back panel adapters
	DA1103E1.80.(^)
	Remarks:(^):Color: Matt white (MW) / Dark grey(DG)

6 Square railing Left/Right	
Description	Square railing Left/Right
	DA2101E1.(^).(^)
	Remarks:(^):Nominal length:270/300/350/400/450/500/550 (^):Color: Matt white (MW) / Dark grey(DG)



Space required

NL: Nominal length
Note: Net height +3mm when installed with huggen PTO system

Cutting size

NL: Nominal length
LW:Inner Cabinet Width

Runner Installation

Same hole pattern for soft closing and push open

*For more detail of huggen PTO system, see page 095-098.

INSTALLATION INSTRUCTION

REGIC BOX

H=80mm installation instruction

Inside cabinet dimension

Front panel mounting positions

Front fixing brackets positions

Back panel mounting positions

H=120mm installation instruction

Inside cabinet dimension

Front panel mounting positions

Front fixing brackets positions

Back panel mounting positions

H=170mm installation instruction

Inside cabinet dimension

Front panel mounting positions

Front fixing brackets positions

Back panel mounting positions

H=Any height installation instruction

Inside cabinet dimension

Front panel mounting positions

Front fixing brackets positions

Back panel mounting positions

Installation instruction

Back panel adapter mounting

Bottom panel mounting

Installation instruction

Back panel mounting

Installation instruction

Front fixing brackets mounting

Front fixing brackets mounting of square railing

Installation instruction


Drawer mounting

INSTALLATION INSTRUCTION


REGIC BOX

Installation instruction

Front panel height adjustment: +2mm





Front panel side adjustment: +1.5mm



Installation instruction


Front panel disassembly






Installation instruction


Drawer box disassembly








Installation instruction

Front fixing brackets mounting












Installation instruction

Adjustment of square railing







COBOX - Perfect combination of
quality and sense of space

COBOX


FEATURES

- Fashionable appearance,slow motion
- Optional for Huggen PTO system
- Drawer height 80MM
- Synchronized concealed slide Loading capacity 30KG
- Epoxy coated
- Up and down,left and right
- Mat.steel




H80mm Cobox item code					
Nominal length	Item code				The complete set basic components includes
	Soft closing	Rebound	Single ext. soft closing	Huggen	
270mm	DBEB1.270A1.TCA	DBREB1.270A1.TCA	DBEB1.270A2.TCA	DBPEB1.270A1.TCA	1.Soft closing concealed slide(left/right) with huggen PTO system*
300mm	DBEB1.300A1.TCA	DBREB1.300A1.TCA	DBEB1.300A2.TCA	DBPEB1.300A1.TCA	2.Drawer box runner(left/right)
350mm	DBEB1.350A1.TCA	DBREB1.350A1.TCA	DBEB1.350A2.TCA	DBPEB1.350A1.TCA	3.Plastic covers 1*2pcs
400mm	DBEB1.400A1.TCA	DBREB1.400A1.TCA	DBEB1.400A2.TCA	DBPEB1.400A1.TCA	
450mm	DBEB1.450A1.TCA	DBREB1.450A1.TCA	DBEB1.450A2.TCA	DBPEB1.450A1.TCA	
500mm	DBEB1.500A1.TCA	DBREB1.500A1.TCA	DBEB1.500A2.TCA	DBPEB1.500A1.TCA	
550mm	DBEB1.550A1.TCA	DBREB1.550A1.TCA	DBEB1.550A2.TCA	DBPEB1.550A1.TCA	

Remarks:Color: TCA Patent No.ZL 2018 2 1582781.X

1 Concealed slide Left/Right				
Description	Concealed slide-Soft closing	Concealed slide-Rebound	Concealed slide-Single ext.soft closing	Concealed slide-Huggen
	CL11E1.(*) ZP	CL13E1.(*) ZP	CL21E1.(*) ZP	CL15E1.(*) ZP
	emarks:(^):Nominal length:270/300/350/400/450/500/550			


2 Drawer box runner(left/right)	
Description	Drawer box runner(left/right)
	DBEB.(*) AW.TCA
	emarks:(^):Nominal length:270/300/350/400/450/500/550

3 Plastic covers	
Description	Plastic covers
	DA1109B1.TCA




Space required

NL: Nominal length
Note: Net height +3mm when installed with huggen PTO system



Cutting size


NL: Nominal length
LW:Inner Cabinet Width



H80:Y=79-t

Runner Installation

Same hole pattern for soft closing and push open



*For more detail of huggen PTO system, see page 095-098.

FEATURES

- Fashionable appearance,slow motion
- Optional for Huggen PTO system
- Drawer height 120MM
- Synchronized concealed slide Loading capacity 30KG
- Epoxy coated
- Up and down,left and right
- Mat:steel




H120mm Cobox item code					
Nominal length	Item code				The complete set basic components includes
	Soft closing	Rebound	Single ext. soft closing	Huggen	
270mm	DBEB1.270B1.TCA	DBREB1.270B1.TCA	DBEB1.270B2.TCA	DBPEB1.270B1.TCA	1.Soft closing concealed slide(left/right) with huggen PTO system*
300mm	DBEB1.300B1.TCA	DBREB1.300B1.TCA	DBEB1.300B2.TCA	DBPEB1.300B1.TCA	2.Drawer box runner(left/right)
350mm	DBEB1.350B1.TCA	DBREB1.350B1.TCA	DBEB1.350B2.TCA	DBPEB1.350B1.TCA	3.Plastic covers 1*2pcs
400mm	DBEB1.400B1.TCA	DBREB1.400B1.TCA	DBEB1.400B2.TCA	DBPEB1.400B1.TCA	
450mm	DBEB1.450B1.TCA	DBREB1.450B1.TCA	DBEB1.450B2.TCA	DBPEB1.450B1.TCA	
500mm	DBEB1.500B1.TCA	DBREB1.500B1.TCA	DBEB1.500B2.TCA	DBPEB1.500B1.TCA	
550mm	DBEB1.550B1.TCA	DBREB1.550B1.TCA	DBEB1.550B2.TCA	DBPEB1.550B1.TCA	

Remarks:Color: TCA Patent No.ZL 2018 2 1582781.X

1 Concealed slide Left/Right				
Description	Concealed slide-Soft closing	Concealed slide-Rebound	Concealed slide-Single ext.soft closing	Concealed slide-Huggen
	CL11E1.(*) ZP	CL13E1.(*) ZP	CL21E1.(*) ZP	CL15E1.(*) ZP
	emarks:(*):Nominal length:270/300/350/400/450/500/550			

2 Drawer side Left/Right	
Description	Drawer side Left/Right
	DBEB.(*) BW.TCA
	emarks:(*):Nominal length:270/300/350/400/450/500/550

3 Plastic covers	
Description	Plastic covers
	DA1109B1.TCA



Space required

NL: Nominal length
Note: Net height +3mm when installed with huggen PTO system

Cutting size

NL: Nominal length
LW:Inner Cabinet Width

H120:Y=117-t

Runner Installation

Same hole pattern for soft closing and push open


*For more detail of huggen PTO system, see page 095-098.

- Fashionable appearance,slow motion
- Optional for Huggen PTO system
- Drawer height 150MM
- Synchronized concealed slide Loading capacity 30KG
- Epoxy coated
- Up and down,left and right
- Mat:steel




H150mm Cobox item code					
Nominal length	Item code				The complete set basic components includes
	Soft closing	Rebound	Single ext. soft closing	Huggen	
270mm	DBEB1.270C1.TCA	DBREB1.270C1.TCA	DBEB1.270C2.TCA	DBPEB1.270C1.TCA	1.Soft closing concealed slide(left/right) with huggen PTO system*
300mm	DBEB1.300C1.TCA	DBREB1.300C1.TCA	DBEB1.300C2.TCA	DBPEB1.300C1.TCA	2.Drawer box runner(left/right)
350mm	DBEB1.350C1.TCA	DBREB1.350C1.TCA	DBEB1.350C2.TCA	DBPEB1.350C1.TCA	3.Plastic covers 1*2pcs
400mm	DBEB1.400C1.TCA	DBREB1.400C1.TCA	DBEB1.400C2.TCA	DBPEB1.400C1.TCA	
450mm	DBEB1.450C1.TCA	DBREB1.450C1.TCA	DBEB1.450C2.TCA	DBPEB1.450C1.TCA	
500mm	DBEB1.500C1.TCA	DBREB1.500C1.TCA	DBEB1.500C2.TCA	DBPEB1.500C1.TCA	
550mm	DBEB1.550C1.TCA	DBREB1.550C1.TCA	DBEB1.550C2.TCA	DBPEB1.550C1.TCA	

Remarks:Color: TCA Patent No.ZL 2018 2 1582781.X

1 Concealed slide Left/Right				
Description	Concealed slide-Soft closing	Concealed slide-Rebound	Concealed slide-Single ext.soft closing	Concealed slide-Huggen
	CL11E1.(*) ZP	CL13E1.(*) ZP	CL21E1.(*) ZP	CL15E1.(*) ZP
	Remarks:(*):Nominal length:270/300/350/400/450/500/550			


2 Drawer side Left/Right	
Description	Drawer side Left/Right
	DBEB.(*) CW.TCA
	Remarks:(*):Nominal length:270/300/350/400/450/500/550

3 Plastic covers	
Description	Plastic covers
	DA1109B1.TCA




Space required

NL: Nominal length
Note: Net height +3mm when installed with huggen PTO system



Cutting size


NL: Nominal length
LW:Inner Cabinet Width



H150:Y=147-t

Runner Installation

Same hole pattern for soft closing and push open



*For more detail of huggen PTO system, see page 095-098.

FEATURES

- Fashionable appearance,slow motion
- Optional for Huggen PTO system
- Any height,with square railing
- Synchronized concealed slide Loading capacity 30KG
- Epoxy coated
- Up and down,left and right
- Mat:steel



H=Any height (Drawing bar)



Any height Cobox item code(with square railing)					
Nominal length	Item code				The complete set basic components includes
	Soft closing	Rebound	Single ext. soft closing	Huggen	
270mm	DBEB1.270FA1.TCA	DBREB1.270FA1.TCA	DBEB1.270FA2.TCA	DBPEB1.270FA1.TCA	1.Soft closing concealed slide(left/right) with huggen PTO system*
300mm	DBEB1.300FA1.TCA	DBREB1.300FA1.TCA	DBEB1.300FA2.TCA	DBPEB1.300FA1.TCA	2.Drawer box runner(left/right)
350mm	DBEB1.350FA1.TCA	DBREB1.350FA1.TCA	DBEB1.350FA2.TCA	DBPEB1.350FA1.TCA	3.Plastic covers 1*2pcs
400mm	DBEB1.400FA1.TCA	DBREB1.400FA1.TCA	DBEB1.400FA2.TCA	DBPEB1.400FA1.TCA	4.Drawing bar(left/right)
450mm	DBEB1.450FA1.TCA	DBREB1.450FA1.TCA	DBEB1.450FA2.TCA	DBPEB1.450FA1.TCA	
500mm	DBEB1.500FA1.TCA	DBREB1.500FA1.TCA	DBEB1.500FA2.TCA	DBPEB1.500FA1.TCA	
550mm	DBEB1.550FA1.TCA	DBREB1.550FA1.TCA	DBEB1.550FA2.TCA	DBPEB1.550FA1.TCA	


Remarks:Color: TCA Patent No.ZL 2018 2 1582781.X

1 Concealed slide Left/Right				
Description	Concealed slide-Soft closing	Concealed slide-Rebound	Concealed slide-Single ext.soft closing	Concealed slide-Huggen
	CL11E1.(*) .ZP	CL13E1.(*) .ZP	CL21E1.(*) .ZP	CL15E1.(*) .ZP
	Remarks:(*):Nominal length:270/300/350/400/450/500/550			

2 Drawer side Left/Right	
Description	Drawer side Left/Right
	DBEB.(*) AW.TCA
	Remarks:(*):Nominal length:270/300/350/400/450/500/550


3 Plastic covers	
Description	Plastic covers
	DA1109B1.TCA

4 Drawing bar(left/right)	
Description	Drawing bar(left/right)
	DA2101F1.(*) .TCA
	Remarks:(*):Nominal length:270/300/350/400/450/500/550




Space required

NL: Nominal length
Note: net height +3mm when installed with huggen PTO system



Cutting size


NL: Nominal length
LW:Inner Cabinet Width



H80:Y=79-t

Runner Installation

Same hole pattern for soft closing and push open



*For more detail of huggen PTO system, see page 095-098.

INSTALLATION INSTRUCTION

COBOX

H=80mm installation instruction

Inside cabinet dimension

Front panel mounting positions

Front fixing brackets positions

Back panel mounting positions

H=120mm installation instruction

Inside cabinet dimension

Front panel mounting positions

Front fixing brackets positions

Back panel mounting positions

H=150mm installation instruction

Inside cabinet dimension

Front panel mounting positions

Front fixing brackets positions

Back panel mounting positions

H=Any height installation instruction

Inside cabinet dimension

Front panel mounting positions

Front fixing brackets positions

Back panel mounting positions

Installation instruction

Bottom panel mounting

Installation instruction

Back panel mounting

Installation instruction



Punch

Installation instruction



Front panel mounting

Installation instruction

Install the plastic cover





Installation instruction





Installation instruction

Drawer mounting











Installation instruction

Drawer box disassembly



Installation instruction

Drawer adjustment





POBOX - Promote out of
classical drawer box

POBOX

FEATURES

- Steel drawer side H=80mm
- Synchronized slide
- Epoxy coated
- Load capacity of 35KG
- Smooth rolling mechanism
- Quick assembly
- Up and down , left and right , 4 dimensional adjustment
- Mat:steel



POBOX
H80



H=80mm Pobox item code					
Nominal length	Front fixing bracket				The complete set basic components includes
	Dowel-Soft closing	Screw-Soft closing	Dowel-Rebound	Screw-Rebound	
270mm	DBEC6.270A.(^)	DBEC5.270A.(^)	DBREC6.270A.(^)	DBREC5.270A.(^)	1.Drawer box runner(left/right)
300mm	DBEC6.300A.(^)	DBEC5.300A.(^)	DBREC6.300A.(^)	DBREC5.300A.(^)	2.Drawer side Left/Right
350mm	DBEC6.350A.(^)	DBEC5.350A.(^)	DBREC6.350A.(^)	DBREC5.350A.(^)	3.Plastic covers 1*2pcs
400mm	DBEC6.400A.(^)	DBEC5.400A.(^)	DBREC6.400A.(^)	DBREC5.400A.(^)	4.Front fixing brackets 1*2pcs
450mm	DBEC6.450A.(^)	DBEC5.450A.(^)	DBREC6.450A.(^)	DBREC5.450A.(^)	5.back panel adapter (left/right)
500mm	DBEC6.500A.(^)	DBEC5.500A.(^)	DBREC6.500A.(^)	DBREC5.500A.(^)	
550mm	DBEC6.550A.(^)	DBEC5.550A.(^)	DBREC6.550A.(^)	DBREC5.550A.(^)	

Remarks:(^):Color: White (WT) /Silver(SV)


1 Drawer box runner(left/right)		
Description	Drawer box runner(left/right)	Push open drawer box runner (left/right)
	DBEC.(^)SL.ZP	DBREC.(^)SL.ZP
	Remarks:(^):Nominal length:270/300/350/400/450/500/550	

2 Drawer side Left/Right	
Description	Drawer side Left/Right
	DBEC.(^) AW.(^)
	Remarks:(^):Nominal length:270/300/350/400/450/500/550
	(^):Color: White (WT) /Silver(SV)

3 Plastic covers	
Description	Plastic covers
	DA1101C2.(^)
	Remarks:(^):Color: White (WT) /Silver(SV)

4 Front fixing brackets			
Description		Front fixing brackets	
Dowel	Screw	Dowel	Screw
		DA1102C6.ZP	DA1102C5.ZP

5 Back panel adapters 1*2pcs	
Description	Back panel adapters 1*2pcs
	DA1103C1.80.(^)
	Remarks:(^):Color: White (WT) /Silver(SV)



Space required	
NL: Nominal length	

Cutting size	
NL: Nominal length LW:Inner Cabinet Width	

Runner Installation	

FEATURES

- Steel drawer side H=130mm
- Synchronized slide
- Epoxy coated
- Load capacity of 35KG
- Smooth rolling mechanism
- Quick assembly
- Up and down , left and right , 4 dimensional adjustment
- Mat:steel



POBOX
H130 (Drawing bar)



H=130mm Pobox item code					
Nominal length	Front fixing bracket				The complete set basic components includes
	Dowel-Soft closing	Screw-Soft closing	Dowel-Rebound	Screw-Rebound	
270mm	DBEC6.270BB1.(^)	DBEC5.270BB1.(^)	DBREC6.270BB1.(^)	DBREC5.270BB1.(^)	1.Drawer box runner(left/right)
300mm	DBEC6.300BB1.(^)	DBEC5.300BB1.(^)	DBREC6.300BB1.(^)	DBREC5.300BB1.(^)	2.Drawer side Left/Right
350mm	DBEC6.350BB1.(^)	DBEC5.350BB1.(^)	DBREC6.350BB1.(^)	DBREC5.350BB1.(^)	3.Plastic covers 1*2pcs
400mm	DBEC6.400BB1.(^)	DBEC5.400BB1.(^)	DBREC6.400BB1.(^)	DBREC5.400BB1.(^)	4.Front fixing brackets 1*2pcs
450mm	DBEC6.450BB1.(^)	DBEC5.450BB1.(^)	DBREC6.450BB1.(^)	DBREC5.450BB1.(^)	5.Back panel adapters Left/Right
500mm	DBEC6.500BB1.(^)	DBEC5.500BB1.(^)	DBREC6.500BB1.(^)	DBREC5.500BB1.(^)	6.Drawing bar Left/Right
550mm	DBEC6.550BB1.(^)	DBEC5.550BB1.(^)	DBREC6.550BB1.(^)	DBREC5.550BB1.(^)	

Remarks:(^):Color: White (WT) /Silver(SV)

1 Drawer box runner(left/right)		
Description	Drawer box runner(left/right)	Push open drawer box runner (left/right)
	DBEC.(^)*SL.ZP	DBREC.(^)*SL.ZP
	Remarks:(^):Nominal length:270/300/350/400/450/500/550	


2 Drawer side Left/Right	
Description	Drawer side Left/Right
	DBEC.(^)* AW.(^)
	Remarks:(^):Nominal length:270/300/350/400/450/500/550 (^):Color: White (WT) /Silver(SV)

3 Plastic covers	
Description	Plastic covers
	DA1101C2.(^)
	Remarks:(^):Color: White (WT) /Silver(SV)

4 Front fixing brackets			
Description		Front fixing brackets	
Dowel	Screw	Dowel	Screw
		DA1102C6.ZP	DA1102C5.ZP

5 Back panel adapters	
Description	Back panel adapters
	DA1103C1.130.(^)
	Remarks:(^):Color: White (WT) /Silver(SV)

6 Drawing bar Left/Right	
Description	Drawing bar Left/Right
	DA2101B1.(^).(^)
	Remarks:(^):Nominal length:270/300/350/400/450/500/550 (^):Color: White (WT) /Silver(SV)



Space required	
NL: Nominal length	

Cutting size	
NL: Nominal length LW:Inner Cabinet Width	

Runner Installation	

FEATURES

- Steel drawer side H=190mm
- Synchronized slide
- Epoxy coated
- Load capacity of 35KG
- Smooth rolling mechanism
- Quick assembly
- Up and down , left and right , 4 dimensional adjustment
- Mat:steel



POBOX
H190 (Drawing bar)



H=190mm Pobox item code					
Nominal length	Front fixing bracket				The complete set basic components includes
	Dowel-Soft closing	Screw-Soft closing	Dowel-Rebound	Screw-Rebound	
270mm	DBEC6.270BC3.(^)	DBEC5.270BC3.(^)	DBREC6.270BC3.(^)	DBREC5.270BC3.(^)	1.Drawer box runner(left/right)
300mm	DBEC6.300BC3.(^)	DBEC5.300BC3.(^)	DBREC6.300BC3.(^)	DBREC5.300BC3.(^)	2.Drawer side Left/Right
350mm	DBEC6.350BC3.(^)	DBEC5.350BC3.(^)	DBREC6.350BC3.(^)	DBREC5.350BC3.(^)	3.Plastic covers 1*2pcs
400mm	DBEC6.400BC3.(^)	DBEC5.400BC3.(^)	DBREC6.400BC3.(^)	DBREC5.400BC3.(^)	4.Front fixing brackets 1*2pcs
450mm	DBEC6.450BC3.(^)	DBEC5.450BC3.(^)	DBREC6.450BC3.(^)	DBREC5.450BC3.(^)	5.Back panel adapters Left/Right
500mm	DBEC6.500BC3.(^)	DBEC5.500BC3.(^)	DBREC6.500BC3.(^)	DBREC5.500BC3.(^)	6.Drawing bar Left/Right
550mm	DBEC6.550BC3.(^)	DBEC5.550BC3.(^)	DBREC6.550BC3.(^)	DBREC5.550BC3.(^)	

Remarks:(^):Color: White (WT) /Silver(SV)

1 drawer box runner(left/right)		
Description	Drawer box runner(left/right)	Push open drawer box runner (left/right)
	DBEC.(^)*SL.ZP	DBREC.(^)*SL.ZP
	Remarks:(^):Nominal length:270/300/350/400/450/500/550	


2 Drawer side Left/Right	
Description	Drawer side Left/Right
	DBEC.(^)* AW.(^)
	Remarks:(^):Nominal length:270/300/350/400/450/500/550 (^):Color: White (WT) /Silver(SV)

3 Plastic covers	
Description	Plastic covers
	DA1101C2.(^)
	Remarks:(^):Color: White (WT) /Silver(SV)

4 Front fixing brackets			
Description		Front fixing brackets	
Dowel	Screw	Dowel	Screw
		DA1102C6.ZP	DA1102C5.ZP

5 Back panel adapters	
Description	Back panel adapters
	DA1103C1.190.(^)
	Remarks:(^):Color: White (WT) /Silver(SV)

6 Drawing bar Left/Right	
Description	Drawing bar Left/Right
	DA2101B1.(^).(^)
	Remarks:(^):Nominal length:270/300/350/400/450/500/550 (^):Color: White (WT) /Silver(SV)



Space required	
NL: Nominal length	

Cutting size	
NL: Nominal length LW:Inner Cabinet Width	

Runner Installation	

FEATURES

- Any height,with square railing
- Synchronized slide
- Epoxy coated
- Load capacity of 35KG
- Smooth rolling mechanism
- Quick assembly
- Up and down , left and right , 4 dimensional adjustment
- Mat:steel



POBOX
H=Any height (Drawing bar)



Any height Pobox item code					
Nominal length	Front fixing bracket				The complete set basic components includes
	Dowel-Soft closing	Screw-Soft closing	Dowel-Rebound	Screw-Rebound	
270mm	DBEC6.270A.(^)	DBEC5.270A.(^)	DBREC6.270A.(^)	DBREC5.270A.(^)	1.Drawer box runner(left/right)
300mm	DBEC6.300A.(^)	DBEC5.300A.(^)	DBREC6.300A.(^)	DBREC5.300A.(^)	2.Drawer side Left/Right
350mm	DBEC6.350A.(^)	DBEC5.350A.(^)	DBREC6.350A.(^)	DBREC5.350A.(^)	3.Plastic covers 1*2pcs
400mm	DBEC6.400A.(^)	DBEC5.400A.(^)	DBREC6.400A.(^)	DBREC5.400A.(^)	4.Front fixing brackets 1*2pcs
450mm	DBEC6.450A.(^)	DBEC5.450A.(^)	DBREC6.450A.(^)	DBREC5.450A.(^)	5.Back panel adapters Left/Right
500mm	DBEC6.500A.(^)	DBEC5.500A.(^)	DBREC6.500A.(^)	DBREC5.500A.(^)	6.Drawing bar Left/Right
550mm	DBEC6.550A.(^)	DBEC5.550A.(^)	DBREC6.550A.(^)	DBREC5.550A.(^)	

Remarks:(^Δ):Color: White (WT) /Silver(SV)

1	drawer box runner(left/right)	
Description	Drawer box runner(left/right)	Push open drawer box runner (left/right)
	DBEC.(^Δ)SL.ZP	DBREC.(^Δ)SL.ZP
	Remarks:(^Δ):Nominal length:270/300/350/400/450/500/550	


2	Drawer side Left/Right	
Description	Drawer side Left/Right	
	DBEC.(^Δ) AW.(^Δ)	
	Remarks:(^Δ):Nominal length:270/300/350/400/450/500/550 (^Δ):Color: White (WT) /Silver(SV)	


3	Plastic covers	
Description	Plastic covers	
	DA1101C2.(^Δ)	
	Remarks:(^Δ):Color: White (WT) /Silver(SV)	


4	Front fixing brackets			
Description	Front fixing brackets			
Dowel	Screw	Dowel	Screw	
		DA1102C6.ZP	DA1102C5.ZP	


5	Back panel adapters 1*2pcs	
Description	Back panel adapters 1*2pcs	
	DA1103C1.80.(^Δ)	
	Remarks:(^Δ):Color: White (WT) /Silver(SV)	

6	Drawing bar Left/Right	
Description	Drawing bar Left/Right	
	DA2101B11.80.(^Δ).(^Δ)	
	Remarks:(^Δ):Nominal length:270/300/350/400/450/500/550 (^Δ):Color: White (WT) /Silver(SV)	



Space required	
NL: Nominal length	
	


Cutting size	
NL: Nominal length LW:Inner Cabinet Width	
	

Runner Installation	
	


INSTALLATION INSTRUCTION

POBOX


H=80mm installation instruction (Front panel assembling hole distance 32mm)




H=130mm installation instruction with drawing bars (Front panel assembling hole distance 32mm)




H=190mm installation instruction with drawing bars (Front panel assembling hole distance 32mm)




H=Any height installation instruction with drawing bars (Front panel assembling hole distance 32mm)




Installation instruction




Installation instruction




Installation instruction




Installation instruction




Installation instruction




Installation instruction




Installation instruction




Installation instruction




Installation instruction




Installation instruction



Installation instruction



Installation instruction



HUGGEN SYSTEM




50000

50000 LIFE CYCLES



Huggen System - Push to open and soft closing in one step

Push to open with soft closing system, touch anywhere of front panel, the drawer can be pulled out softly,which meet the design of handle free or inner drawer used.





HUGGEN SYSTEM

Suitable for LED Glass magic box*、Glass magic box*、 Magic box*、
Regic box*、Cobox*、 Full extension concealed slide*





Huggen system	
Item code	The complete set basic components includes
	1.Rebound system 1X2
DBPE.PB.BAR	2.Sync-bar



1	Rebound system(Left/Right)
Description	Rebound system(Left/Right)
	DBPE.PB
	


2	Sync-bar
Description	Sync-bar
	DBPE.BAR
	

Installation instruction





*LED glass magic box, see page 019-028、 *Glass magic box, see page 029-038、 *Magic box, see page 039-052、 *Regic box, see page 053-066、
*Cobox, see page 067-080、 *Full extension concealed slide, see page 137-138、 145-146



Installation instruction




Installation instruction



Installation instruction




Suitable for LED Magic box、 Magic box、 Regic box、 Cobox




UNDERSINK OF DRAWER BOX – PLASTIC	
Item code	The complete set basic components includes
	1.U shape undersink
H=80mm	
DA5102E3.A.DG	
H=120mm	
DA5102E3.B.DG	

Remark:H80mm Minimum installation height: 115mm
H120 Minimum installation height: 155mm


Magic box、 Regic box 16mm board cutting size




Cobox 16mm board cutting size



Magic box、 Regic box sink installation instruction



Cobox sink installation instruction





H80

Suitable for Magic box、Regic box




UNDERSINK OF DRAWER BOX – STEEL		
Nominal length	Item code	The complete set basic components includes
		1.Steel panel undersink
350	DA5102E1.(*) A3.(*)	
400	DA5102E1.(*) A4.(*)	
450	DA5102E1.(*) A5.(*)	
500	DA5102E1.(*) A6.(*)	
550	DA5102E1.(*) A7.(*)	



Remarks:(*)Cabinet width: 060/080/090/100/120
(*)Color: White (WT) /Dark grey(DG)
Minimum installation height: 115mm

16mm board cutting size

Side panel:18mm										
Nominal length\ Cabinet width	600mm		800mm		900mm		1000mm		1200mm	
	A	B	A	B	A	B	A	B	A	B
350mm	247mm	273mm	247mm	273mm			447mm	273mm	647mm	273mm
400mm	277mm	253mm	477mm	253mm	577mm	253mm	577mm	253mm	777mm	253mm
450mm	277mm	303mm	477mm	303mm	577mm	303mm	577mm	303mm	777mm	303mm
500mm	277mm	353mm	477mm	353mm	577mm	353mm	577mm	353mm	777mm	353mm
550mm	277mm	403mm	477mm	403mm	577mm	403mm	577mm	403mm	777mm	403mm



Installation instruction



INNER DRAWER BOX SYSTEM





INNER MAGIC BOX - Elegant and fashionable design brings you a better experience of home space.

INNER MAGIC BOX

INNER DRAWER BOX

H80 Inner aluminium panel

Suitable for LED Glass Magic box、Glass Magic box、
Magic box、Regic box



Product


Features

Application

H=80mm inner drawer components	
Item code	The complete set basic components includes
DA6104ES.040A.(*)	1.Plastic bracket Left/Right
DA6104ES.045A.(*)	2.Inner front cover Left/Right
DA6104ES.050A.(*)	3.Aluminium front panel
DA6104ES.055A.(*)	
DA6104ES.060A.(*)	
DA6104ES.080A.(*)	
DA6104ES.090A.(*)	
DA6104ES.100A.(*)	
DA6104ES.120A.(*)	


Cutting instruction

Cutting of aluminium front panel



La=(LW-127) 5/8" LW=Inner Cabinet Width


Remarks:(*):Color: Matt white (MW) / Dark grey(DG)

1 Plastic bracket Left/Right	2 Inner front cover Left/Right
Description	Description
 DA6101E4.80.(*)	 DA6102E3.80.(*)
Remarks:(*):Color: Matt white (MW) / Dark grey(DG)	Remarks:(*):Color: Matt white (MW) / Dark grey(DG)


3 Aluminium front panel
Description
 DA6103E3.(*) A.(*)
Remarks:(*):Cabinet width:040/045/050/055/060/080/090/100/120 (*)Color: Matt white (MW) / Dark grey(DG)

Installation instruction


1




2



3



4

LED Magic box Front fixing brackets mounting

INNER DRAWER BOX

H80 Inner aluminium panel–Used with plastic spacer

Suitable for LED Glass Magic box、Glass Magic box、
Magic box、Regic box



Product


Features

Application

H=80mm inner drawer components–Used with plastic pad	
Item code	The complete set basic components includes
DA6104ED.040A.(*)	1.Plastic bracket Left/Right
DA6104ED.045A.(*)	2.Inner front cover Left/Right
DA6104ED.050A.(*)	3.Aluminium front panel
DA6104ED.055A.(*)	
DA6104ED.060A.(*)	
DA6104ED.080A.(*)	
DA6104ED.090A.(*)	
DA6104ED.100A.(*)	
DA6104ED.120A.(*)	


Cutting instruction

Cutting of aluminium front panel




La=(LW-173) 5/8" LW=Inner Cabinet Width

Remarks:(*):Color: Matt white (MW) / Dark grey(DG)


1 Plastic bracket Left/Right	2 Inner front cover Left/Right
Description	Description
 DA6101E4.80.(*)	 DA6102E3.80.(*)
Remarks:(*):Color: Matt white (MW) / Dark grey(DG)	Remarks:(*):Color: Matt white (MW) / Dark grey(DG)

3 Aluminium front panel	Brackets–Plastic spacer*(optional)
Description	Description
 DA6103E3.(*) A.(*)	 DA6201E.(*)
Remarks:(*):Cabinet width:040/045/050/055/060/080/090/100/120 (*)Color: Matt white (MW) / Dark grey(DG)	Remarks:(*):Color: Mocca (MCA) / Dark grey(DG)

Installation instruction

Magic box、Regic box Front fixing brackets mounting

5



*Plastic spacer, see page 127

INNER DRAWER BOX

H80 Inner glass panel

Suitable for LED Glass Magic box、Glass Magic box、
Magic box、Regic box




Product



Features

H80mm,glass panel
Used with large angle hinge (≥165°)
16/18mm cabinet side panels for option
Suitable for LED glass magic box , magic box, regic box


Application



H=80mm inner drawer components	
Item code	The complete set basic components includes
	1.Plastic bracket Left/Righ
DA6103ES.040A.(*)	2.Inner front cover Left/Right
DA6103ES.045A.(*)	3.Aluminium panel
DA6103ES.050A.(*)	4.Inner glass panel
DA6103ES.055A.(*)	
DA6103ES.060A.(*)	
DA6103ES.080A.(*)	
DA6103ES.090A.(*)	
DA6103ES.100A.(*)	
DA6103ES.120A.(*)	


Cutting instruction

Cutting of glass holder



La=(LW-127) ÷ 2 LW=Inner Cabinet Width



Cutting of glass



L=Inner Cabinet Width-115 68


Glass thickness: 8mm

Remarks:(*):Color: Matt white (MW) / Dark grey(DG)


1	Plastic bracket Left/Rjght	2	Inner front cover Left/Right
Description	Plastic bracket Left/Rjght	Description	Inner front cover Left/Right
	DA6101E4.80.(*)		DA6102E3.80.(*)
	Remarks:(*):Color: Matt white (MW) / Dark grey(DG)		Remarks:(*):Color: Matt white (MW) / Dark grey(DG)
3	Aluminium panel	4	Inner glass panel
Description	Aluminium panel	Description	Inner glass panel
	DA6103E2.(*) A.(*)		DA6105E1.(*) A.TR
	Remarks:(*):Cabinet width:040/045/050/055/060/080/090/100/120 (^(b)):Color: Matt white (MW) / Dark grey(DG)		Remarks:(*):Cabinet width:040/045/050/055/060/080/090/100/120

Installation instruction


1




2



3



4

LED Magic box Front fixing brackets mounting

INNER DRAWER BOX

H80 Inner glass panel –Used with plastic spacer

Suitable for LED Glass Magic box、Glass Magic box、
Magic box、Regic box




Product



Features

H80mm,glass panel
Used with regular hinge (95°-110°)
Used with plastic pad
16/18mm cabinet side panels for option
Suitable for LED glass magic box , magic box, regic box


Application



H=80mm inner drawer components–Used with plastic pad	
Item code	The complete set basic components includes
	1.Plastic bracket Left/Rjgh
DA6103ED.040A.(*)	2.Inner front cover Left/Right
DA6103ED.045A.(*)	3.Aluminium panel
DA6103ED.050A.(*)	4.Inner glass panel
DA6103ED.055A.(*)	
DA6103ED.060A.(*)	
DA6103ED.080A.(*)	
DA6103ED.090A.(*)	
DA6103ED.100A.(*)	
DA6103ED.120A.(*)	


Cutting instruction

Cutting of glass holder



La=(LW-173) ÷ 2 LW=Inner Cabinet Width



Cutting of glass




L=Inner Cabinet Width-161 68

Glass thickness: 8mm


Remarks:(*):Color: Matt white (MW) / Dark grey(DG)

1	Plastic bracket Left/Rjght	2	Inner front cover Left/Right	3	Aluminium panel
Description	Plastic bracket Left/Rjght	Description	Inner front cover Left/Right	Description	Aluminium panel
	DA6101E4.80.(*)		DA6102E3.80.(*)		DA6103E2.(*) A.(*)
	Remarks:(*):Color: Matt white (MW) / Dark grey(DG)		Remarks:(*):Color: Matt white (MW) / Dark grey(DG)		Remarks:(*):Cabinet width:040/045/050/055/060/080/090/100/120 (^(b)):Color: Matt white (MW) / Dark grey(DG)
4	Inner glass panel	Brackets–Plastic spacer*(optional)			
Description	Inner glass panel	Description	Plastic spacer(front/back)		
	DA6105E1.(*) A.TR		DA6201E.(*)		
	Remarks:(*):Cabinet width:040/045/050/055/060/080/090/100/120		Remarks:(*):Color: Mocca (MCA) / Dark grey(DG)		

Installation instruction

Magic box、Regic box Front fixing brackets mounting

5



*Plastic spacer, see page 127

INNER DRAWER BOX

H120 Inner aluminium panel

Suitable for LED Glass Magic box、Glass Magic box、
Magic box、Regic box


Product




Features

H120mm,aluminum panel
Used with large angle hinge (≥165°)
16/18mm cabinet side panels for option
Suitable for LED glass magic box , magic box, regic box

Application



H=120mm inner drawer components	
Item code	The complete set basic components includes
DA6104ES.040B.(*)	1.Plastic bracket Left/Right
DA6104ES.045B.(*)	2.Inner front cover Left/Right
DA6104ES.050B.(*)	3.Aluminium front panel
DA6104ES.055B.(*)	
DA6104ES.060B.(*)	
DA6104ES.080B.(*)	
DA6104ES.090B.(*)	
DA6104ES.100B.(*)	
DA6104ES.120B.(*)	

Cutting instruction	
Cutting of aluminium front panel	
	
La=(LW-127) 5/LW=Inner Cabinet Width	


Remarks:(*):Color: Matt white (MW) / Dark grey(DG)

1 Plastic bracket Left/Rjght		2 Inner front cover Left/Right	
Description	Plastic bracket Left/Rjght	Description	Inner front cover Left/Right
	DA6101E4.120.(^)		DA6102E3.120.(^)
	Remarks:(^):Color: Matt white (MW) / Dark grey(DG)		Remarks:(^):Color: Matt white (MW) / Dark grey(DG)


3 Aluminium front panel	
Description	Aluminium front panel
	DA6103E3.(^) A.(^)
	Remarks:(^):Cabinet width:040/045/050/055/060/080/090/100/120 (^):Color: Matt white (MW) / Dark grey(DG)

Installation instruction


1




2



3



4

LED Magic box Front fixing brackets mounting


INNER DRAWER BOX

H120 Inner aluminium panel–Used with plastic spacer

Suitable for LED Glass Magic box、Glass Magic box、
Magic box、Regic box


Product




Features

H120mm,aluminum panel
Used with regular hinge (95°-110°)
Used with plastic pad
16/18mm cabinet side panels for option
Suitable for LED glass magic box , magic box, regic box



Application



H=120mm inner drawer components–Used with plastic pad	
Item code	The complete set basic components includes
DA6104ED.040B.(*)	1.Plastic bracket Left/Right
DA6104ED.045B.(*)	2.Inner front cover Left/Right
DA6104ED.050B.(*)	3.Aluminium front panel
DA6104ED.055B.(*)	
DA6104ED.060B.(*)	
DA6104ED.080B.(*)	
DA6104ED.090B.(*)	
DA6104ED.100B.(*)	
DA6104ED.120B.(*)	


Cutting instruction	
Cutting of aluminium front panel	
	
La=(LW-173) 5/LW=Inner Cabinet Width	


Remarks:(*):Color: Matt white (MW) / Dark grey(DG)


1 Plastic bracket Left/Right		2 Inner front cover Left/Right	
Description	Plastic bracket Left/Right	Description	Inner front cover Left/Right
	DA6101E4.120.(*)		DA6102E3.120.(*)
	Remarks:(*):Color: Matt white (MW) / Dark grey(DG)		Remarks:(*):Color: Matt white (MW) / Dark grey(DG)
3 Aluminium front panel		Brackets-Plastic spacer*(optional)	
Description	Aluminium front panel	Description	Plastic spacer(front/back)
	DA6103E3.(*) A.(*)		DA6201E.(*)
	Remarks:(*):Cabinet width:040/045/050/055/060/080/090/100/120 (*)Color: Matt white (MW) / Dark grey(DG)		Remarks:(*):Color: Mocca (MCA) / Dark grey(DG)

Installation instruction

Magic box、Regic box Front fixing brackets mounting


5






*Plastic spacer, see page 127

INNER DRAWER BOX

H120 Inner glass panel

Suitable for LED Glass Magic box、Glass Magic box、
Magic box、Regic box





Product


Features


Application

H=120mm inner drawer components	
Item code	The complete set basic components includes
DA6103ES.040B.(*)	1.The complete set basic components includes
DA6103ES.045B.(*)	2.Inner front cover Left/Right
DA6103ES.050B.(*)	3.Aluminium panel
DA6103ES.055B.(*)	4.Inner glass panel
DA6103ES.060B.(*)	
DA6103ES.080B.(*)	
DA6103ES.090B.(*)	
DA6103ES.100B.(*)	
DA6103ES.120B.(*)	


Cutting instruction	
Cutting of glass holder	Cutting of glass
	
La=(LW-127) ÷ 2 LW:Inner Cabinet Width	Glass thickness: 8mm

Remarks:(*):Color: White (WT) /Dark grey(DG)

1	Plastic bracket Left/Rjght
Description	Plastic bracket Left/Rjght
	DA6101E4.120.(*)
	Remarks:(*):Color: White (WT) /Dark grey(DG)


2	Inner front cover Left/Right
Description	Inner front cover Left/Right
	DA6102E3.120.(*)
	Remarks:(*):Color: White (WT) /Dark grey(DG)

3	Aluminium panel
Description	Aluminium panel
	DA6103E2.(*) A.(*)
	Remarks:(*):Cabinet width: 060/080/090/100/120 (*)Color: White (WT) /Dark grey(DG)


4	Inner glass panel
Description	Inner glass panel
	DA6105E1.(*) C.TR
	Remarks:(*):Cabinet width: 060/080/090/100/120

Installation instruction


1




2



3



4

LED Magic box Front fixing brackets mounting

INNER DRAWER BOX

H120 Inner glass panel –Used with plastic spacer

Suitable for LED Glass Magic box、Glass Magic box、
Magic box、Regic box





Product


Features


Application

H=120mm inner drawer components–Used with plastic pad	
Item code	The complete set basic components includes
DA6103ED.040B.(*)	1.Plastic bracket Left/Right
DA6103ED.045B.(*)	2.Inner front cover Left/Right
DA6103ED.050B.(*)	3.Aluminium panel
DA6103ED.055B.(*)	4.Inner front cover Left/Right
DA6103ED.060B.(*)	
DA6103ED.080B.(*)	
DA6103ED.090B.(*)	
DA6103ED.100B.(*)	
DA6103ED.120B.(*)	

Cutting instruction	
Cutting of glass holder	Cutting of glass
	
La=(LW-173) ÷ 2 LW=LW:Inner Cabinet Width	Glass thickness: 8mm

Remarks:(*):Color: White (WT) /Dark grey(DG)


1	Plastic bracket Left/Rjght
Description	Plastic bracket Left/Rjght
	DA6101E4.120.(*)
	Remarks:(*):Color: White (WT) / Dark grey(DG)

2	Inner front cover Left/Right
Description	Inner front cover Left/Right
	DA6102E3.120.(*)
	Remarks:(*):Color: White (WT) / Dark grey(DG)


3	Aluminium panel
Description	Aluminium panel
	DA6103E2.(*) A.(*)
	Remarks:(*):Cabinet width:040/045/050/055/060/080/090/100/120 (*)Color: Matt white (MW) / Dark grey(DG)


Brackets–Plastic spacer*(optional)	
Description	Plastic spacer(front/back)
	DA6201E.(*)
	Remarks:(*):Color: Mocca (MCA) / Dark grey(DG)


Installation instruction

Magic box、Regic box Front fixing brackets mounting

5







*Plastic spacer, see page 127

INNER DRAWER BOX

H170 Inner aluminium panel

Suitable for LED Glass Magic box、Glass Magic box、
Magic box、Regic box

Design

The Installation

Product

Features

H170mm,aluminum panel
Used with large angle hinge (≥165°)
16/18mm cabinet side panels for option
Suitable for LED glass magic box , magic box, regic box

Application

H=170mm inner drawer components	
Item code	The complete set basic components includes
DA6104ES.040C.(*)	1.Plastic bracket Left/Rjght
DA6104ES.045C.(*)	2.Inner front cover Left/Right
DA6104ES.050C.(*)	3.Aluminium front panel
DA6104ES.055C.(*)	4.Inner aluminium bar
DA6104ES.060C.(*)	
DA6104ES.080C.(*)	
DA6104ES.090C.(*)	
DA6104ES.100C.(*)	
DA6104ES.120C.(*)	

Cutting instruction	
Cutting of aluminium front panel	Cutting of aluminium bar
La=(LW-127) ±0.5 LW=Inner Cabinet Width	La=(LW-83) ±0.5 LW=Inner Cabinet Width

Remarks:(*):Color: White (WT) /Dark grey(DG)

1	Plastic bracket Left/Rjght		2	Inner front cover Left/Right	
Description	Plastic bracket Left/Rjght		Description	Inner front cover Left/Right	
	DA6101E4.170.(*)			DA6102E3.170.(*)	
	Remarks:(*):Color: White (WT) /Dark grey(DG)			Remarks:(*):Color: White (WT) /Dark grey(DG)	

3	Aluminium front panel		4	Inner aluminium bar	
Description	Aluminium front panel		Description	Inner aluminium bar	
	DA6103E3.(*) A.(*)			DA6104E2.(*) C.(*)	
	Remarks:(*):Cabinet width:040/045/050/055/060/080/090/100/120 (*)Color: Matt white (MW) / Dark grey(DG)			Remarks:(*):Cabinet width:040/045/050/055/060/080/090/100/120 (*)Color: Matt white (MW) / Dark grey(DG)	

Installation instruction

1

2

3

4

LED Magic box Front fixing brackets mounting

INNER DRAWER BOX

H170 Inner aluminium panel–Used with plastic spacer

Suitable for LED Glass Magic box、Glass Magic box、
Magic box、Regic box

Design

The Installation

Product

Features

H170mm,aluminum panel
Used with regular hinge (95°-110°)
Used with plastic pad
16/18mm cabinet side panels for option
Suitable for LED glass magic box , magic box, regic box

Application

H=170mm inner drawer components–Used with plastic pad	
Item code	The complete set basic components includes
DA6104ED.040C.(*)	1.Plastic bracket Left/Rjght
DA6104ED.045C.(*)	2.Inner front cover Left/Right
DA6104ED.050C.(*)	3.Aluminium front panel
DA6104ED.055C.(*)	4.Aluminium front panel
DA6104ED.060C.(*)	
DA6104ED.080C.(*)	
DA6104ED.090C.(*)	
DA6104ED.100C.(*)	
DA6104ED.120C.(*)	

Cutting instruction	
Cutting of aluminium front panel	Cutting of aluminium bar
La=(LW-173) ±0.5 LW=Inner Cabinet Width	La=(LW-129) ±0.5 LW=Inner Cabinet Width

Remarks:(*):Color: White (WT) /Dark grey(DG)

1	Plastic bracket Left/Rjght		2	Inner front cover Left/Right		3	Aluminium front panel	
Description	Plastic bracket Left/Rjght		Description	Inner front cover Left/Right		Description	Aluminium front panel	
	DA6101E4.170.(*)			DA6102E3.170.(*)			DA6103E2.(*) A.(*)	
	Remarks:(A):Color: White (WT) / Dark grey(DG)			Remarks:(A):Color: White (WT) / Dark grey(DG)			Remarks:(*):Cabinet width:040/045/050/055/060/080/090/100/120 (*)Color: Matt white (MW) / Dark grey(DG)	

4	Inner aluminium bar		Brackets–Plastic spacer*(optional)	
Description	Inner aluminium bar		Description	Plastic spacer(front/back)
	DA6104E2.(*) C.(*)			DA6201E.(*)
	Remarks:(*):Cabinet width:040/045/050/055/060/080/090/100/120 (*)Color: Matt white (MW) / Dark grey(DG)			Remarks:(*):Color: Mocca (MCA) / Dark grey(DG)

Installation instruction

Magic box、Regic box Front fixing brackets mounting

5

*Plastic spacer, see page 127

INNER DRAWER BOX

H170 Inner glass panel

Suitable for LED Glass Magic box、Glass Magic box、
Magic box、Regic box



Product

Features

Application

H=170mm inner drawer components	
Item code	The complete set basic components includes
	1.Plastic bracket Left/Right
DA6103ES.040C.(*)	2.Inner front cover Left/Right
DA6103ES.045C.(*)	3.Aluminium panel
DA6103ES.050C.(*)	4.Inner glass panel
DA6103ES.055C.(*)	
DA6103ES.060C.(*)	
DA6103ES.080C.(*)	
DA6103ES.090C.(*)	
DA6103ES.100C.(*)	
DA6103ES.120C.(*)	

Cutting instruction

Cutting of glass holder

Cutting of glass

Remarks:(*):Color: White (WT) /Dark grey(DG)

1	Plastic bracket Left/Right	2	Inner front cover Left/Right
Description	Plastic bracket Left/Right	Description	Inner front cover Left/Right
	DA6101E4.170.(*)		DA6102E3.170.(*)
	Remarks:(*):Color: White (WT) /Dark grey(DG)		Remarks:(*):Color: White (WT) /Dark grey(DG)
3	Aluminium panel	4	Inner glass panel
Description	Aluminium panel	Description	Inner glass panel
	DA6103E2.(*) A.(*)		DA6105E1.(*) C.TR
	Remarks:(*):Cabinet width:040/045/050/055/060/080/090/100/120 (*)Color: Matt white (MW) / Dark grey(DG)		Remarks:(*):Cabinet width:040/045/050/055/060/080/090/100/120

Installation instruction

1

2

3

4

INNER DRAWER BOX

H170 Inner glass panel –Used with plastic spacer

Suitable for LED Glass Magic box、Glass Magic box、
Magic box、Regic box



Product

Features

Application

H=170mm inner drawer components–Used with plastic pad	
Item code	The complete set basic components includes
	1.Plastic bracket Left/Right
DA6103ED.040C.(*)	2.Inner front cover Left/Right
DA6103ED.045C.(*)	3.Aluminium panel
DA6103ED.050C.(*)	4.Inner glass panel
DA6103ED.055C.(*)	
DA6103ED.060C.(*)	
DA6103ED.080C.(*)	
DA6103ED.090C.(*)	
DA6103ED.100C.(*)	
DA6103ED.120C.(*)	

Cutting instruction

Cutting of glass holder

Cutting of glass

Remarks:(*):Color: White (WT) /Dark grey(DG)

1	Plastic bracket Left/Right	2	Inner front cover Left/Right	3	Aluminium panel
Description	Plastic bracket Left/Right	Description	Inner front cover Left/Right	Description	Aluminium panel
	DA6101E4.170.(*)		DA6102E3.170.(*)		DA6103E2.(*) A.(*)
	Remarks:(*):Color: White (WT) / Dark grey(DG)		Remarks:(*):Color: White (WT) / Dark grey(DG)		Remarks:(*):Cabinet width:040/045/050/055/060/080/090/100/120 (*)Color: Matt white (MW) / Dark grey(DG)
4	Inner glass panel	Brackets–Plastic spacer*(optional)			
Description	Inner glass panel	Description	Plastic spacer(front/back)		
	DA6105E1.(*) C.TR		DA6201E.(*)		
	Remarks:(*):Cabinet width:040/045/050/055/060/080/090/100/120		Remarks:(*):Color: Mocca (MCA) / Dark grey(DG)		

Installation instruction

Magic box、Regic box Front fixing brackets mounting

5

*Plastic spacer, see page 127





INNER DRAWER BOX - Full range
accessories

INNER DRAWER BOX

INNER DRAWER BOX

H80 Inner aluminium panel

Suitable for Pobox



Product


Features

Application

H=80mm inner drawer components	
Item code	The complete set basic components includes
DA6104DS.040A.(*)	1.Plastic bracket Left/Right
DA6104DS.045A.(*)	2.Inner front cover Left/Right
DA6104DS.050A.(*)	3.Aluminium front panel
DA6104DS.055A.(*)	
DA6104DS.060A.(*)	
DA6104DS.080A.(*)	
DA6104DS.090A.(*)	
DA6104DS.100A.(*)	
DA6104DS.120A.(*)	

Cutting instruction

Cutting of aluminium front panel




La=(LW-127) 5/8 LW=Inner Cabinet Width


Remarks:(*):Color: White (WT) /Silver(SV)


1 Plastic bracket Left/Rjght	2 Inner front cover Left/Right
Description	Description
DA6101D4.80.(*)	DA6104D1.80.(*)
Remarks:(A):Color: White (WT) /Silver(SV)	Remarks:(*):Color: White (WT) /Silver(SV)


3 Aluminium front panel	
Description	Aluminium front panel
DA6102D4.(*) A.(*)	
Remarks:(*):Cabinet width:040/045/050/055/060/080/090/100/120	
(*)Color: White (WT) /Silver(SV)	

Installation instruction









INNER DRAWER BOX

H80 Inner glass panel

Suitable for Pobox



Product


Features

Application

H=80mm inner drawer components	
Item code	The complete set basic components includes
DA6105DS.040A.(*)	1.Plastic bracket Left/Right
DA6105DS.045A.(*)	2.Inner front cover Left/Right
DA6105DS.050A.(*)	3.Aluminium panel
DA6105DS.055A.(*)	4.Inner glass panel
DA6105DS.060A.(*)	
DA6105DS.080A.(*)	
DA6105DS.090A.(*)	
DA6105DS.100A.(*)	
DA6105DS.120A.(*)	


Installation instruction

Cutting of glass holder



La=(LW-127) 5/8 LW=Inner Cabinet Width

Cutting of glass



L=Inner Cabinet Width-110


Glass thickness: 8mm


Remarks:(*):Color: White (WT) /Silver(SV)


1 Plastic bracket Left/Rjght	2 Inner front cover Left/Right
Description	Description
DA6101D5.80.(*)	DA6104D1.80.(*)
Remarks:(*):Color: White (WT) /Silver(SV)	Remarks:(*):Color: White (WT) /Silver(SV)


3 Aluminium panel	4 Inner glass panel
Description	Description
DA6102D5.(*) A.(*)	DA6103D2.(*) A.GB
Remarks:(*):Cabinet width:040/045/050/055/060/080/090/100/120	Remarks:(*):Cabinet width:040/045/050/055/060/080/090/100/120
(*)Color: White (WT) /Silver(SV)	

Installation instruction









INNER DRAWER BOX

H190 Inner aluminium panel

Suitable for Pobox



Product

Features

Application

H=190mm inner drawer components	
Item code	The complete set basic components includes
DA6104DS.040C.(*)	1.Plastic bracket Left/Right
DA6104DS.045C.(*)	2.Inner front cover Left/Right
DA6104DS.050C.(*)	3.Aluminium front panel
DA6104DS.055C.(*)	4.Inner aluminium bar
DA6104DS.060C.(*)	
DA6104DS.080C.(*)	
DA6104DS.090C.(*)	
DA6104DS.100C.(*)	
DA6104DS.120C.(*)	

Cutting instruction

Cutting of aluminium front panel

Cutting of aluminium bar

Remarks:(*):Color: White (WT) /Silver(SV)

1	Plastic bracket Left/Right	2	Inner front cover Left/Right
Description	Plastic bracket Left/Right	Description	Inner front cover Left/Right
	DA6101D4.190.(*) Remarks:(*):Color: White (WT) /Silver(SV)		DA6104D1.190.(*) Remarks:(*):Color: White (WT) /Silver(SV)
3	Aluminium front panel	4	Inner aluminium bar
Description	Aluminium front panel	Description	Inner aluminium bar
	DA6102D4.(*) A.(*) Remarks:(*):Cabinet width:040/045/050/055/060/080/090/100/120 (*)):Color: White (WT) /Silver(SV)		DA6102D5.(*) C.(*) Remarks:(*):Cabinet width:040/045/050/055/060/080/090/100/120 (*)):Color: White (WT) /Silver(SV)

Installation instruction

1

2

3

4

INNER DRAWER BOX

H190 Inner glass panel

Suitable for Pobox



Product

Features

Application

H=190mm inner drawer components	
Item code	The complete set basic components includes
DA6105DS.040C.(*)	1.Plastic bracket Left/Right
DA6105DS.045C.(*)	2.Inner front cover Left/Right
DA6105DS.050C.(*)	3.Aluminium panel
DA6105DS.055C.(*)	4.Inner glass panel
DA6105DS.060C.(*)	
DA6105DS.080C.(*)	
DA6105DS.090C.(*)	
DA6105DS.100C.(*)	
DA6105DS.120C.(*)	

Cutting instruction

Cutting of glass holder

Cutting of glass

Remarks:(*):Color: White (WT) /Silver(SV)

1	Plastic bracket Left/Right	2	Inner front cover Left/Right
Description	Plastic bracket Left/Right	Description	Inner front cover Left/Right
	DA6101D5.190.(*) Remarks:(*):Color: White (WT) /Silver(SV)		DA6104D1.190.(*) Remarks:(*):Color: White (WT) /Silver(SV)
3	Aluminium panel	4	Inner glass panel
Description	Aluminium panel	Description	Inner glass panel
	DA6102D5.(*) A.(*) Remarks:(*):Cabinet width:040/045/050/055/060/080/090/100/120 (*)):Color: White (WT) /Silver(SV)		DA6103D2.(*) C.GB Remarks:(*):Cabinet width:040/045/050/055/060/080/090/100/120

Installation instruction

1

2

3


4

PLASTIC SPACER

Suitable for Inner LED Glass Magic box、Glass Magic box、
Magic box、Regic box

Design


The Installation





Plastic spacer	
Item code	The complete set basic components includes
DA6201E.(*)	1.Plastic spacer(front/back)

Remarks:(*):Color: Mocca (MCA) / Dark grey(DG)

Suitable for Inner LED Glass Magic box、Glass Magic box、 Magic box、Regic box



Installation instruction



STEEL BACK PANEL

Suitable for Inner Magic box、Regic box




Design

The Installation



H=80mm Steel back panel	
Description	H=80mm Steel back panel
	DA1104E.(*) A.(*) Remarks:(*):Cabinet width: 040/045/050/055/060/080/090/100/120 (**):Color: White (WT) / Dark grey(DG)
H=120mm Steel back panel	
Description	H=120mm Steel back panel
	DA1104E.(*) B.(*) Remarks:(*):Cabinet width: 040/045/050/055/060/080/090/100/120 (**):Color: White (WT) / Dark grey(DG)
H=170mm Steel back panel	
Description	H=170mm Steel back panel
	DA1104E.(*) C.(*) Remarks:(*):Cabinet width: 040/045/050/055/060/080/090/100/120 (**):Color: White (WT) / Dark grey(DG)

Installation instruction




ALUMINIUM BACK PANEL

Suitable for Cobox


Design

The Installation



H=80mm Aluminium back panel	
Description	H=80mm Aluminium back panel
	DA1104B.(^) A.TCA Remarks:(^):Cabinet width:040/045/050/055/060/080/090/100/120
H=120mm Aluminium back panel	
Description	H=120mm Aluminium back panel
	DA1104B.(^) B.TCA Remarks:(^):Cabinet width:040/045/050/055/060/080/090/100/120
H=150mm Aluminium back panel	
Description	H=150mm Aluminium back panel
	DA1104B.(^) C.TCA Remarks:(^):Cabinet width:040/045/050/055/060/080/090/100/120

Installation instruction




STEEL BACK PANEL

Suitable for Pobox



H=80mm Steel back panel	
Description	H=80mm Steel back panel
	DA1104C1.(^) A.(^) Remarks:(^):Cabinet width: 040/045/050/055/060/080/090/100/120 (^):Color: White (WT) /Silver(SV)
H=130mm Steel back panel	
Description	H=130mm Steel back panel
	DA1104C1.(^) B.(^) Remarks:(^):Cabinet width: 040/045/050/055/060/080/090/100/120 (^):Color: White (WT) /Silver(SV)
H=190mm Steel back panel	
Description	H=190mm Steel back panel
	DA1104C1.(^) C.(^) Remarks:(^):Cabinet width: 040/045/050/055/060/080/090/100/120 (^):Color: White (WT) /Silver(SV)

Installation instruction



MAT

Design

The Installation

Small granulous anti-slip mat–Suitable for LED glass magic box、Glass magic box、 Magic box、 Regic box	
Description	Small granulous anti-slip mat
	DA1105C1.(^) (^).GR

Remarks:
(^):Cabinet Width:040/045/050/055/060/090/100/120mm
(^):Nominal length:1=270/2=300/3=350/4=400/5=450/6=500/7=550mm
Size for a roll: 20m*1.1m


Small granulous anti-slip mat–Suitable for Pobox	
Description	Small granulous anti-slip mat
	DA1105C2.(^) (^).GR

Remarks:
(A):Cabinet Width:040/045/050/055/060/090/100/120mm
(^):Nominal length:1/2/3/4/5/6/7
Size for a roll: 20m*1.1m

Mat for SLANKA SYSTEM	
Description	Mat for SLANKA SYSTEM
	PP5181A.TDB

Remarks:
Size for a roll: 1.2m*10m


CONCEALED SLIDE SYSTEM




CONCEALED SLIDE

60000

60000 LIFE CYCLES





CONCEALED SLIDE - Synchronized movement with TUV certificate of 60,000 cycles

CONCEALED SLIDE

CONCEALED SLIDE

–For 16mm side panel






3D Full extension with soft-closing



→ FEATURES

- Clip-on Full extension
- Synchronized concealed slide
- Load capacity of 30kg
- Smooth rolling mechanism
- Quick assembly
- Up and down , left and right , front and back , 6 dimensional adjustment
- Optional for Huggen PTO system

Item code	Item code–with huggen PTO system	Nominal length	
CL12E1.250N3.ZP	CL16E1.250N3.ZP	250mm	10Sets
CL12E1.2703.ZP	CL16E1.2703.ZP	270mm	10Sets
CL12E1.3003.ZP	CL16E1.3003.ZP	300mm	10Sets
CL12E1.3503.ZP	CL16E1.3503.ZP	350mm	10Sets
CL12E1.4003.ZP	CL16E1.4003.ZP	400mm	10Sets
CL12E1.4503.ZP	CL16E1.4503.ZP	450mm	10Sets
CL12E1.5003.ZP	CL16E1.5003.ZP	500mm	10Sets
CL12E1.5503.ZP	CL16E1.5503.ZP	550mm	10Sets



*For more detail of huggen PTO system, see page 095–098.

CONCEALED SLIDE

–For 18mm side panel






3D Full extension with soft-closing



→ FEATURES

- Clip-on Full extension
- Synchronized concealed slide
- Load capacity of 30kg
- Smooth rolling mechanism
- Quick assembly
- Up and down , left and right , front and back , 6 dimensional adjustment
- Optional for Huggen PTO system

Item code	Item code–with huggen PTO system	Nominal length	
CL12E2.250N3.ZP	CL16E2.250N3.ZP	250mm	10Sets
CL12E2.2703.ZP	CL16E2.2703.ZP	270mm	10Sets
CL12E2.3003.ZP	CL16E2.3003.ZP	300mm	10Sets
CL12E2.3503.ZP	CL16E2.3503.ZP	350mm	10Sets
CL12E2.4003.ZP	CL16E2.4003.ZP	400mm	10Sets
CL12E2.4503.ZP	CL16E2.4503.ZP	450mm	10Sets
CL12E2.5003.ZP	CL16E2.5003.ZP	500mm	10Sets
CL12E2.5503.ZP	CL16E2.5503.ZP	550mm	10Sets



*For more detail of huggen PTO system, see page 095–098.

CONCEALED SLIDE

- For 16mm side panel



3D Single extension with soft-closing




→ FEATURES


- Clip-on Single extension
- Concealed slide
- Load capacity of 30kg
- Smooth rolling mechanism
- Quick assembly
- Up and down , left and right , front and back ,
- 6 dimensional adjustment

Item code	Nominal length	
CL22D1.2703.ZP	270mm	10Sets
CL22D1.3003.ZP	300mm	10Sets
CL22D1.3503.ZP	350mm	10Sets
CL22D1.4003.ZP	400mm	10Sets
CL22D1.4503.ZP	450mm	10Sets
CL22D1.5003.ZP	500mm	10Sets
CL22D1.5503.ZP	550mm	10Sets



Space required



Cutting size



Runner Installation



CONCEALED SLIDE

- For 18mm side panel

design



3D Single extension with soft-closing




→ **FEATURES**


- Clip-on Single extension
- Concealed slide
- Load capacity of 30kg
- Smooth rolling mechanism
- Quick assembly
- Up and down , left and right , front and back ,
- 6 dimensional adjustment

Item code	Nominal length	
CL22D2.2703.ZP	270mm	10Sets
CL22D2.3003.ZP	300mm	10Sets
CL22D2.3503.ZP	350mm	10Sets
CL22D2.4003.ZP	400mm	10Sets
CL22D2.4503.ZP	450mm	10Sets
CL22D2.5003.ZP	500mm	10Sets
CL22D2.5503.ZP	550mm	10Sets



Space required



Cutting size



Runner Installation



CONCEALED SLIDE

–For 16mm side panel

Design

Rebound




3D Full extension with rebound



→ FEATURES

- Full extension rebound conceal slide
- Synchronized concealed slide
- Load capacity of 30kg
- Smooth rolling mechanism
- Quick assembly
- Up and down , left and right , front and back , 6 dimensional adjustment

Item code	Nominal length	
CL14E1.250N3.ZP	250mm	10Sets
CL14E1.2703.ZP	270mm	10Sets
CL14E1.3003.ZP	300mm	10Sets
CL14E1.3503.ZP	350mm	10Sets
CL14E1.4003.ZP	400mm	10Sets
CL14E1.4503.ZP	450mm	10Sets
CL14E1.5003.ZP	500mm	10Sets
CL14E1.5503.ZP	550mm	10Sets



CONCEALED SLIDE

–For 18mm side panel

Design

Rebound





3D Full extension with rebound



→ FEATURES

- Full extension rebound conceal slide
- Synchronized concealed slide
- Load capacity of 30kg
- Smooth rolling mechanism
- Quick assembly
- Up and down , left and right , front and back , 6 dimensional adjustment

Item code	Nominal length	
CL14E2.250N3.ZP	250mm	10Sets
CL14E2.2703.ZP	270mm	10Sets
CL14E2.3003.ZP	300mm	10Sets
CL14E2.3503.ZP	350mm	10Sets
CL14E2.4003.ZP	400mm	10Sets
CL14E2.4503.ZP	450mm	10Sets
CL14E2.5003.ZP	500mm	10Sets
CL14E2.5503.ZP	550mm	10Sets



CONCEALED SLIDE

–For 16mm side panel

Design

Rebound




3D Single extension with rebound



→ FEATURES

- Single extension rebound conceal slide
- Concealed slide
- Load capacity of 30kg
- Smooth rolling mechanism
- Quick assembly
- Up and down , left and right , front and back ,
- 6 dimensional adjustment

Item code	Nominal length	
CL24D1.2703.ZP	270mm	10Sets
CL24D1.3003.ZP	300mm	10Sets
CL24D1.3503.ZP	350mm	10Sets
CL24D1.4003.ZP	400mm	10Sets
CL24D1.4503.ZP	450mm	10Sets
CL24D1.5003.ZP	500mm	10Sets
CL24D1.5503.ZP	550mm	10Sets



CONCEALED SLIDE

–For 18mm side panel

Design

Rebound




3D Single extension with rebound



→ FEATURES

- Single extension rebound conceal slide
- Concealed slide
- Load capacity of 30kg
- Smooth rolling mechanism
- Quick assembly
- Up and down , left and right , front and back ,
- 6 dimensional adjustment

Item code	Nominal length	
CL24D2.2703.ZP	270mm	10Sets
CL24D2.3003.ZP	300mm	10Sets
CL24D2.3503.ZP	350mm	10Sets
CL24D2.4003.ZP	400mm	10Sets
CL24D2.4503.ZP	450mm	10Sets
CL24D2.5003.ZP	500mm	10Sets
CL24D2.5503.ZP	550mm	10Sets



CONCEALED SLIDE

-For 16mm side panel






Full extension with soft-closing



- FEATURES
- Full extension
 - Synchronized concealed slide
 - Load capacity of 30kg
 - Smooth rolling mechanism
 - Quick assembly
 - Optional for Huggen PTO system

Item code	with huggen PTO system	Nominal length	X1	X2	
CL11E1.270.ZP	CL15E1.270.ZP	270mm	205mm	248mm	10Sets
CL11E1.300.ZP	CL15E1.300.ZP	300mm	230mm	275mm	10Sets
CL11E1.350.ZP	CL15E1.350.ZP	350mm	275mm	320mm	10Sets
CL11E1.400.ZP	CL15E1.400.ZP	400mm	300mm	376mm	10Sets
CL11E1.450.ZP	CL15E1.450.ZP	450mm	335mm	421mm	10Sets
CL11E1.500.ZP	CL15E1.500.ZP	500mm	360mm	466mm	10Sets
CL11E1.550.ZP	CL15E1.550.ZP	550mm	405mm	511mm	10Sets



*For more detail of huggen PTO system, see page 095-098.

CONCEALED SLIDE

-For 18mm side panel






Full extension with soft-closing



- FEATURES
- Full extension
 - Synchronized concealed slide
 - Load capacity of 30kg
 - Smooth rolling mechanism
 - Quick assembly
 - Optional for Huggen PTO system

Item code	with huggen PTO system	Nominal length	X1	X2	
CL11E2.270.ZP	CL15E2.270.ZP	270mm	205mm	248mm	10Sets
CL11E2.300.ZP	CL15E2.300.ZP	300mm	230mm	275mm	10Sets
CL11E2.350.ZP	CL15E2.350.ZP	350mm	275mm	320mm	10Sets
CL11E2.400.ZP	CL15E2.400.ZP	400mm	300mm	376mm	10Sets
CL11E2.450.ZP	CL15E2.450.ZP	450mm	335mm	421mm	10Sets
CL11E2.500.ZP	CL15E2.500.ZP	500mm	360mm	466mm	10Sets
CL11E2.550.ZP	CL15E2.550.ZP	550mm	405mm	511mm	10Sets



*For more detail of huggen PTO system, see page 095-098.

CONCEALED SLIDE

- For 16mm side panel



Single extension with soft-closing




→ FEATURES


- Single extension
- Concealed slide
- Load capacity of 30kg
- Smooth rolling mechanism
- Quick assembly

Item code	Nominal length	X1	X2	
CL21D1.270.ZP	270mm	205mm	185mm	10Sets
CL21D1.300.ZP	300mm	230mm	210mm	10Sets
CL21D1.350.ZP	350mm	275mm	255mm	10Sets
CL21D1.400.ZP	400mm	300mm	280mm	10Sets
CL21D1.450.ZP	450mm	335mm	315mm	10Sets
CL21D1.500.ZP	500mm	360mm	340mm	10Sets
CL21D1.550.ZP	550mm	405mm	385mm	10Sets



Space required



Cutting size



Runner Installation



CONCEALED SLIDE

- For 18mm side panel



Single extension with soft-closing




→ **FEATURES**


- Single extension
- Concealed slide
- Load capacity of 30kg
- Smooth rolling mechanism
- Quick assembly

Item code	Nominal length	X1	X2	
CL21D1.270.ZP	270mm	205mm	185mm	10Sets
CL21D1.300.ZP	300mm	230mm	210mm	10Sets
CL21D1.350.ZP	350mm	275mm	255mm	10Sets
CL21D1.400.ZP	400mm	300mm	280mm	10Sets
CL21D1.450.ZP	450mm	335mm	315mm	10Sets
CL21D1.500.ZP	500mm	360mm	340mm	10Sets
CL21D1.550.ZP	550mm	405mm	385mm	10Sets



Space required



Cutting size



Runner Installation



CONCEALED SLIDE

–For 16mm side panel

Design

Rebound

Full extension with rebound




→ FEATURES


- Full extension rebound concealed slide
- Synchronized concealed slide
- Load capacity of 30kg
- Smooth rolling mechanism
- Quick assembly

Item code	Nominal length	X1	X2	
CL13E1.270.ZP	270mm	205mm	248mm	10Sets
CL13E1.300.ZP	300mm	230mm	275mm	10Sets
CL13E1.350.ZP	350mm	275mm	320mm	10Sets
CL13E1.400.ZP	400mm	300mm	376mm	10Sets
CL13E1.450.ZP	450mm	335mm	421mm	10Sets
CL13E1.500.ZP	500mm	360mm	466mm	10Sets
CL13E1.550.ZP	550mm	405mm	511mm	10Sets



Space required



Cutting size



Runner Installation



CONCEALED SLIDE

–For 18mm side panel

Design

Rebound

Full extension with rebound




→ FEATURES


- Full extension rebound concealed slide
- Synchronized concealed slide
- Load capacity of 30kg
- Smooth rolling mechanism
- Quick assembly

Item code	Nominal length	X1	X2	
CL13E2.270.ZP	270mm	205mm	248mm	10Sets
CL13E2.300.ZP	300mm	230mm	275mm	10Sets
CL13E2.350.ZP	350mm	275mm	320mm	10Sets
CL13E2.400.ZP	400mm	300mm	376mm	10Sets
CL13E2.450.ZP	450mm	335mm	421mm	10Sets
CL13E2.500.ZP	500mm	360mm	466mm	10Sets
CL13E2.550.ZP	550mm	405mm	511mm	10Sets



Space required



Cutting size



Runner Installation



CONCEALED SLIDE

- For 16mm side panel

Rebound

Single extension with rebound




→ FEATURES


- Single extension rebound concealed slide
- Concealed slide
- Load capacity of 30kg
- Smooth rolling mechanism
- Quick assembly

Item code	Nominal length	X1	X2	
CL23D2.270.ZP	270mm	205mm	185mm	10Sets
CL23D2.300.ZP	300mm	230mm	210mm	10Sets
CL23D2.350.ZP	350mm	275mm	255mm	10Sets
CL23D2.400.ZP	400mm	300mm	280mm	10Sets
CL23D2.450.ZP	450mm	335mm	315mm	10Sets
CL23D2.500.ZP	500mm	360mm	340mm	10Sets
CL23D2.550.ZP	550mm	405mm	385mm	10Sets



Space required



Cutting size



Runner Installation



CONCEALED SLIDE

- For 18mm side panel

Design

Rebound

Single extension with rebound




→ **FEATURES**


- Single extension rebound concealed slide
- Concealed slide
- Load capacity of 30kg
- Smooth rolling mechanism
- Quick assembly

Item code	Nominal length	X1	X2	
CL23D2.270.ZP	270mm	205mm	185mm	10Sets
CL23D2.300.ZP	300mm	230mm	210mm	10Sets
CL23D2.350.ZP	350mm	275mm	255mm	10Sets
CL23D2.400.ZP	400mm	300mm	280mm	10Sets
CL23D2.450.ZP	450mm	335mm	315mm	10Sets
CL23D2.500.ZP	500mm	360mm	340mm	10Sets
CL23D2.550.ZP	550mm	405mm	385mm	10Sets



Space required



Cutting size



Runner Installation



CONCEALED SLIDE

–For 16mm side panel







Single extension with soft-closing



→ FEATURES

- Single extension
- Concealed slide
- Load capacity of 25kg
- Smooth rolling mechanism
- Quick assembly

Item code	Nominal length	X1	X2	
CL31E1.250.ZP	250mm	205mm	251mm	10Sets
CL31E1.300.ZP	300mm	230mm	251mm	10Sets
CL31E1.350.ZP	350mm	275mm	255mm	10Sets
CL31E1.400.ZP	400mm	300mm	280mm	10Sets
CL31E1.450.ZP	450mm	335mm	315mm	10Sets
CL31E1.500.ZP	500mm	360mm	340mm	10Sets
CL31E1.550.ZP	550mm	405mm	385mm	10Sets



CONCEALED SLIDE

–For 19mm side panel







Single extension with soft-closing



→ FEATURES

- Single extension
- Concealed slide
- Load capacity of 25kg
- Smooth rolling mechanism
- Quick assembly

Item code	Nominal length	X1	X2	
CL31E3.250.ZP	250mm	205mm	251mm	10Sets
CL31E3.300.ZP	300mm	230mm	251mm	10Sets
CL31E3.350.ZP	350mm	275mm	255mm	10Sets
CL31E3.400.ZP	400mm	300mm	280mm	10Sets
CL31E3.450.ZP	450mm	335mm	315mm	10Sets
CL31E3.500.ZP	500mm	360mm	340mm	10Sets
CL31E3.550.ZP	550mm	405mm	385mm	10Sets



CONCEALED SLIDE

Concealed slide US frame version






Full extension soft & self closing concealed slide US frame version of 3 Dimension adjustment function



→ FEATURES

Concealed slide US frame Synchronized concealed slide
Load capacity of 30kgs
Smooth rolling mechanism
Quick assembly

Item code	Nominal length	C	DH	
CLU12E1.3053.ZP	12"	305mm	330-366mm	10Sets
CLU12E1.3813.ZP	15"	381mm	406-442mm	10Sets
CLU12E1.4573.ZP	18"	457mm	482-518mm	10Sets
CLU12E1.5333.ZP	21"	533mm	558-594mm	10Sets





BALLBEARING SLIDE - High-end automatic production line make sure the quality.

BALL BEARING SLIDE

BALL BEARING SLIDE WITH SOFT AND SELF CLOSING

Design




Ball bearing slide with soft and self closing




→ FEATURES

Material: High strength cold rolled steel, metal damper
Advantage: Easy assembling, quiet, and good corrosion resistance
Load capacity of 35kgs
Color: Zinc plated, black plated
Size:250/300/350/400/450/500/550/600mm
The Min Depth of the Inner cabinet = Nominal length + 3MM



Item code	Nominal length	A (mm)	B (mm)	D (mm)	E (mm)	F (mm)	G (mm)	
DS2101.250.(*)	250mm	146		64				15Sets
DS2101.300.(*)	300mm	96	96	96				15Sets
DS2101.350.(*)	350mm	128	96	64	64			15Sets
DS2101.400.(*)	400mm	128	160	128	64			15Sets
DS2101.450.(*)	450mm	160	160	128	104.5			15Sets
DS2101.500.(*)	500mm	192	160	128	104.5	64		15Sets
DS2101.550.(*)	550mm	192	224	128	104.5	96		15Sets
DS2101.600.(*)	600mm	224	224	128	104.5	96	64	15Sets

Remarks:(A):Color: ZP /BK



PUSH-OPEN BALL BEARING SLIDE

Design


Rebound

Push-open ball bearing slide




→ FEATURES

Material: High strength cold rolled steel, metal damper
Advantage: Easy assembling, quiet, and good corrosion resistance
Load capacity of 35kgs
Color: Zinc plated, black plated
Size:250/300/350/400/450/500/550/600mm
The Min Depth of the Inner cabinet = Nominal length + 3MM
Push-open ball bearing slide



Item code	Nominal length	A (mm)	B (mm)	D (mm)	E (mm)	F (mm)	G (mm)	
DS2201.250.(*)	250mm	146		64				15Sets
DS2201.300.(*)	300mm	96	96	96				15Sets
DS2201.350.(*)	350mm	128	96	64	64			15Sets
DS2201.400.(*)	400mm	128	160	128	64			15Sets
DS2201.450.(*)	450mm	160	160	128	104.5			15Sets
DS2201.500.(*)	500mm	192	160	128	104.5	64		15Sets
DS2201.550.(*)	550mm	192	224	128	104.5	96		15Sets
DS2201.600.(*)	600mm	224	224	128	104.5	96	64	15Sets

Remarks:(A):Color: ZP /BK



BALL BEARING SLIDE


Design

Ball bearing slide





→ FEATURES

Material: High strength cold rolled steel, metal damper
Advantage: Easy assembling,quiet, and good corrosion resistance
Load capacity of 30kgs
Color: Zinc plated, black plated
Size:250/300/350/400/450/500/550/600mm
The Min Depth of the Inner cabinet = Nominal length + 3MM




Item code	Nominal length	A (mm)	B (mm)	D (mm)	E (mm)	F (mm)	G (mm)	
DS2401.250.(*)	250mm	160		160				15Sets
DS2401.300.(*)	300mm	96	128	96	128			15Sets
DS2401.350.(*)	350mm	96	160	64	160			15Sets
DS2401.400.(*)	400mm	128	192	64	160	64		15Sets
DS2401.450.(*)	450mm	160	192	64	160	128		15Sets
DS2401.500.(*)	500mm	192	224	64	160	128		15Sets
DS2401.550.(*)	550mm	192	256	64	160	128	96	15Sets
DS2401.600.(*)	600mm	224	288	64	160	128	96	15Sets

Remarks:(A):Color: ZP /BK



GAS HINGE SYSTEM



HUTTON **NEW**




HUTTON **NEW**

80000
80000 LIFE CYCLES



GAS HINGE SYSTEM

SOFT CLOSING HINGE - Perfect solution with high quality soft closing for every cabinet doors.






Product Image




Features

Opening Angle:105°
Cup diameter:35mm
Depth:11.7mm
Distance:3~7mm
Hole distance:48mm
Door thickness:14~20mm
Two way structure, soft and quite
Clip-on Adjustment with soft closing
5 levels of soft-closing speed
5° degree touch off soft closing



Application




Order information


Full overlay	Half overlay	Insert
Wooden screw(M4X16)	Wooden screw(M4X16)	Wooden screw(M4X16)
100Pcs	100Pcs	100Pcs
Concealed	Concealed	Concealed
Two hole	Two hole	Two hole
3D	3D	3D
Four hole	Four hole	Four hole

$H=14+k-D$	$H=4+k-D$	$H=-4+k+A$

Screw mounting



Adjustment




Product Image




Features

Opening Angle:105°
Cup diameter:35mm
Depth:11.7mm
Distance:3~7mm
Hole distance:48mm
Door thickness:14~20mm
Two way structure, soft and quite
Fixed gas hinge
5 levels of soft-closing speed
5° degree touch off soft closing



Application




Order information


Full overlay	Half overlay	Insert
Wooden screw(M4X16)	Wooden screw(M4X16)	Wooden screw(M4X16)
100Pcs	100Pcs	100Pcs
Four hole fixed base	Four hole fixed base	Four hole fixed base

$H=14+k-D$	$H=4+k-D$	$H=-4+k+A$

Screw mounting



Adjustment



SETTON

The design is inspired by the aesthetics of sports cars. The streamlined appearance makes the dull corners hidden in each cabinet more flexible and shining. Scientific lateral release mode.



SETTON

80000

80000 LIFE CYCLES



GAS HINGE SYSTEM

SOFT CLOSING HINGE - Perfect solution with high quality soft closing for every cabinet doors.





Product Image



Features

Opening Angle:105°

Cup diameter:35mm

Depth:11.5mm

Distance:3~7mm

Hole distance:48mm

Door thickness:14~20mm

Two way structure, soft and quite

Clip-on Adjustment with soft closing








Nickel platednickel


Titanium nickel

Black nickel


Application




Order information											
Full overlay			Half overlay			Insert					
Wooden screw(M4X16)			Wooden screw(M4X16)			Wooden screw(M4X16)					
100Pcs			100Pcs			100Pcs					
		Two hole			Two hole			Two hole			Two hole
		HG1112.C0.A1			HG1112.C8.A1			HG1112.C15.A1			
		3D			3D			3D			3D
		HG1112.C0.B			HG1112.C8.B			HG1112.C15.B			
		Four hole			Four hole			Four hole			Four hole
		HG1112.C0.A2			HG1112.C8.A2			HG1112.C15.A2			



Screw mounting



Adjustment





Product Image



Features

Opening Angle:105°

Cup diameter:35mm

Depth:11.7mm

Distance:3~7mm

Hole distance:48mm

Door thickness:14~20mm

Two way structure, soft and quite

Clip-on Adjustment non- soft closing








Nickel platednickel


Titanium nickel

Black nickel


Application




Order information											
Full overlay			Half overlay			Insert					
Wooden screw(M4X16)			Wooden screw(M4X16)			Wooden screw(M4X16)					
100Pcs			100Pcs			100Pcs					
		Two hole			Two hole			Two hole			Two hole
		HG1112N.C0.A1			HG1112N.C8.A1			HG1112N.C15.A1			
		3D			3D			3D			3D
		HG1112N.C0.B			HG1112N.C8.B			HG1112N.C15.B			
		Four hole			Four hole			Four hole			Four hole
		HG1112N.C0.A2			HG1112N.C8.A2			HG1112N.C15.A2			



Screw mounting



Adjustment



Damper *



Surface-Damper

Item code

DP1101.(*) .(*)



Insert-damper

Item code

DP2102.(*) .(*)

*Damper, see page189


PATTON

80000
80000 LIFE CYCLES



GAS HINGE SYSTEM

SOFT CLOSING HINGE - Perfect solution with high quality soft closing for every cabinet doors.





PATTON

HG1135-Fixed gas hinge



Product Image



Features


- Opening Angle:105°
- Cup diameter:35mm
- Depth:11.7mm
- Distance:3~7mm
- Hole distance:48mm
- Door thickness:14~20mm
- Two way structure, soft and quite
- Fixed gas hinge

Nickel
platednickel

Titanium
nickel

Black
nickel

Application



Order information

Full overlay		Half overlay		Insert	
Wooden screw(M4X16)		Wooden screw(M4X16)		Wooden screw(M4X16)	
100Pcs		100Pcs		100Pcs	
Four hole fixed base	HG1135.N0.A2	Four hole fixed base	HG1135.N8.A2	Four hole fixed base	HG1135.N15.A2

D

H

K

3

4

5

6

7

0

17

18

19

20

21

H=14+k-D

D

H

K

3

4

5

6

7

0

7

8

9

10

11

H=4+k-D

A

H

K

3

4

5

6

7

0

1

0

-1

-2

-3


H=-4+k+A

Screw mounting

Adjustment

179

180




Product Image




Features

Opening Angle:105°
Cup diameter:35mm
Depth:11.7mm
Distance:3~7mm
Hole distance:48mm
Door thickness:14~20mm
Two way structure, soft and quite
Fixed non– soft closing






Application




Order information


Full overlay		Half overlay		Insert	
Wooden screw(M4X16)		Wooden screw(M4X16)		Wooden screw(M4X16)	
100Pcs		100Pcs		100Pcs	
Four hole fixed base	HG1135N.N0.A2	Four hole fixed base	HG1135N.N8.A2	Four hole fixed base	HG1135N.N15.A2



Screw mounting




Adjustment



Damper *

Surface–Damper
Item code
DP1101.(*) .(*)
Insert–damper
Item code
DP2102.(*) .(*)

*Damper, see page189




Product Image




Features

Opening Angle:105°
Cup diameter:35mm
Depth:11.7mm
Distance:3~7mm
Hole distance:48mm
Door thickness:14~20mm
Fixed non–force






Application




Order information


Full overlay		Half overlay		Insert	
Wooden screw(M4X16)		Wooden screw(M4X16)		Wooden screw(M4X16)	
100Pcs		100Pcs		100Pcs	
Four hole fixed base	HG1135F.N0.A2	Four hole fixed base	HG1135F.N8.A2	Four hole fixed base	HG1135F.N15.A2



Screw mounting



Adjustment



Bracket–Metal rebounder *

Metal rebounder
Item code
MC1113C.GR

*Metal rebounder, see page190

GAS HINGE-30°

HG1425 Clip on 3D 30degree Soft closing hinge




Product Image




Features

Closing Angle:30°
Cup diameter:35mm
Depth:11.7mm
Distance:3~7mm
Hole distance:48mm
Door thickness:14~20mm
Clip on 3D 30degree Soft closing hinge

Adjustment




Application




Order information

Wooden screw(M4X16)		
100Pcs		
	Two hole	HG1425.C30.A1
	3D	HG1425.C30.B
	Four hole	HG1425.C30.A2

X H 0	4	5	6	7
	37 -0.5	36 -0.4	35 1.3	34 2.2



Screw mounting



GAS HINGE-45°

HG1426 Clip on 3D 45degree Soft closing hinge




Product Image




Features

Closing Angle:45°
Cup diameter:35mm
Depth:11.7mm
Distance:3~7mm
Hole distance:48mm
Door thickness:14~20mm
Clip on 3D 45degree Soft closing hinge

Adjustment




Application




Order information

Wooden screw(M4X16)		
100Pcs		
	Two hole	HG1426.C45.A1
	3D	HG1426.C45.B
	Four hole	HG1426.C45.A2

X H 0	4	5	6	7
	37 4.5	36 5.2	35 5.9	34 6.6



Screw mounting



GAS HINGE-90°

HG1407 Clip on 3D 90degree Soft closing hinge




Product Image




Features

Closing Angle:90°
Cup diameter:35mm
Depth:11.5mm
Distance:3~7mm
Hole distance:48mm
Door thickness:14~20mm
Two way structure, soft and quite
Clip on 3D 90degree Soft closing hinge

Adjustment




Application




Order information

Wooden screw(M4X16)		
100Pcs		
	Two hole	HG1407.C90.A1
	3D	HG1407.C90.B
	Four hole	HG1407.C90.A2

X H 0 2	K	4	5	6	7
		19	3	18	3
		19	1	18	1



Screw mounting



GAS HINGE-135°

HG2419 Clip on 3D 135 degree hinge




Product Image




Features

Closing Angle:135°
Cup diameter:35mm
Depth:11.7mm
Distance:3~7mm
Hole distance:48mm
Door thickness:14~20mm
Clip on 3D 135 degree hinge

Adjustment




Application




Order information

Wooden screw(M4X16)		
100Pcs		
	Two hole	HG2419.C135.A1
	3D	HG2419.C135.B
	Four hole	HG2419.C135.A2

	Panel thickness<18mm	22mm>Panel thickness>18mm
H	2	0
X	37	37



Screw mounting



Application



GAS HINGE-165°

HG1424 Clip on 165degree Soft closing hinge




Product Image



Features

- Closing Angle:165°
- Cup diameter:35mm
- Depth:11.7mm
- Distance:3~7mm
- Hole distance:48mm
- Door thickness:14~25mm
- Clip on 165degree Soft closing hinge


Application




Order information

Full overlay		Half overlay		Insert	
Wooden screw(M4X16)		Wooden screw(M4X16)		Wooden screw(M4X16)	
100Pcs		100Pcs		100Pcs	
Four hole	HG1424.C0.A2	Four hole	HG1424.C0.A2	Four hole	HG1424.C0.A2


D	K	3	4	5	6	7	H=14+k-D
0		17	18	19	20	21	




D	K	3	4	5	6	7	H=4+k-D
0		7	8	9	10	11	




A	K	3	4	5	6	7	H=k+A
0		1	0	-1	-2	-3	



Screw mounting



Adjustment



FACE FRAME GAS HINGE




Product Image




Features

- Closing Angle:105°
- Cup diameter:35mm
- Depth:11mm
- Distance:3mm
- Hole distance:42、45mm
- Door thickness:14~26 mm
- Face frame gas hinge


Adjustment



Application



Installation instruction



Order information

3D-Face fram e hing e					Face frame hinge				
D		3D-S oft closing	3D-non-S oft closing		D	Soft closing	Non-So ft closing		
1/2"	12.7mm	HG1602.1 3	HG2601.13	300Pcs	1/2"	12.7mm	HG1603.1 3	HG2602.1 3	300Pcs
1"	25.4m m	HG1602.2 5	HG2601.2 5	300Pcs	1"	25.4m m	HG1603.2 5	HG2602.2 5	300Pcs
1-1/4 "	31.7m m	HG1602.3 2	HG2601.32	300Pcs	1-1/4 "	31.7mm	HG1603.3 2	HG2602.3 2	300Pcs
1-5/1 6"	33.3m m	HG1602.3 3	HG2601.33	300Pcs	1-5/16 "	33.3mm	HG1603.3 3	HG2602.3 3	300Pcs
1-3/8 "	34.9m m	HG1602.3 5	HG2601.35	300Pcs	1-3/8 "	34.9mm	HG1603.3 5	HG2602.3 5	300Pcs
1-1/2 "	38.1m m	HG1602.3 8	HG2601.38	300Pcs	1-1/2 "	38.1mm	HG1603.3 8	HG2602.3 8	300Pcs

DAMPER



Product Image




Order information

Surface-Damper	
	Surface-Damper
	Item code
	DP1101.(*) .(*)


Remarks:
(^):Loading capacity:L=Light typeM=MediumH=Heavy type
(^):Color:GR/WT/BR

Application



Insert-damper	
	Insert-damper (D10*L53mm)
	Item code
	DP2102.(*) .(*)

Remarks:
(^):Loading capacity:L=Light typeM=MediumH=Heavy type
(^):Color:GR/WT/BR



METAL REBOUNDER




Product Image



Order information

Bracket-Metal rebounder	
	Metal rebounder
	Item code
	MC1113C.GR

Application



CABINET SUPPORT SYSTEM



TWO-WAY SLOW MOTION

Product Image




Features

- Passed 100,000 times life cycles
- Adjustable soft closing speed
- Recycled plastic
- two-way slow motion
- N:50N-150N

Item code	Description	
CS1101J.(*)GR	Two-way slow motion	100Sets

Remarks: (*):N:050/060/070/080/090/100/110/120/130/140/150

Space required



INSTALLATION INSTRUCTION

DOORS HEIGHT	DOOR WIDTH				
	450	600	900	1200	
400	50N*2	50N*2	80N*2	100N*2	
500	50N*2	100N*2	100N*2	150N*2	
600	80N*2	100N*2	150N*2		



KITCHEN STORAGE ORGANIZER



DRAWER TYPE STORAGE BINS




Product Image



Features

Clip-on two way slow motion slides, 53mm soft closing distance
Garbage classification, better for environment and resource recycling
Two ways slow motion unibox, environmental protection plastic bins
400mm、450mm、600mm、800mm cabinet width
Dark grey

Combination



MODEL with Unibox	MODEL with Magic box	CABINET W (mm)	WIDTH x DEPTH x HEIGHT (mm) With slides	DESCRIPTION	PACKAGING
AB4111S.040A1.DG	AB4119S.040A1.DG	400	364x500x480	2x20L	1 Set
AB4111S.040A2.DG	AB4119S.040A2.DG	400	364x500x350	2x15L	1 Set
AB4112S.045A1.DG	AB4120S.045A1.DG	450	414x500x480	2x24L	1 Set
AB4112S.045A2.DG	AB4120S.045A2.DG	450	414x500x350	2x17L	1 Set
AB4113S.045A1.DG	AB4121S.045A1.DG	450	414x500x480	24+2x10L	1 Set
AB4113S.045A2.DG	AB4121S.045A2.DG	450	414x500x350	17+2x8L	1 Set
AB4114S.060A1.DG	AB4122S.060A1.DG	600	564x500x480	2x24+2x10L	1 Set
AB4114S.060A2.DG	AB4122S.060A2.DG	600	564x500x350	2x17+2x8L	1 Set
AB4114S.080A1.DG	AB4122S.080A1.DG	800	764x500x480	4x20L	1 Set
AB4114S.080A2.DG	AB4122S.080A2.DG	800	764x500x480	4x15L	1 Set



BOARD TYPE STORAGE BINS




Product Image



Features

Clip-on two way slow motion slides, 53mm soft closing distance
Garbage classification, better for environment and resource recycling
Two ways slow motion slides, high strength steel board type frame,
environmental protection plastic bins
300mm、400mm、450mm、500mm、600mm cabinet width
Dark grey

Combination



MODEL	CABINET W (mm)	WIDTH x DEPTH x HEIGHT (mm) With slides	DESCRIPTION	PACKAGING
AB4107S.030A1.DG	300	264x500x460	2x10L	1 Set
AB4107S.030A2.DG	300	264x500x330	2x8L	1 Set
AB4107S.040A1.DG	400	364x500x460	2x20L	1 Set
AB4107S.040A2.DG	400	364x500x330	2x15L	1 Set
AB4108S.045A1.DG	450	414x500x460	2x24L	1 Set
AB4108S.045A2.DG	450	414x500x330	2x17L	1 Set
AB4109S.045A1.DG	450	414x500x460	24+2x10L	1 Set
AB4109S.045A2.DG	450	414x500x330	17+2x8L	1 Set
AB4108S.050A1.DG	500	464x500x460	2x24L	1 Set
AB4108S.050A2.DG	500	464x500x330	2x17L	1 Set
AB4109S.050A1.DG	500	464x500x460	24+2x10L	1 Set
AB4109S.050A2.DG	500	464x500x330	17+2x8L	1 Set
AB4110S.060A1.DG	600	564x500x460	2x24+2x10L	1 Set
AB4110S.060A2.DG	600	564x500x330	2x17+2x8L	1 Set



BOARD TYPE STORAGE BINS -WO COVERS




Product Image

Features



Clip-on two way slow motion slides, 53mm soft closing distance
Garbage classification, better for environment and resource recycling
Two ways slow motion slides, high strength steel board type frame, environmental protection plastic bins
300mm、400mm、450mm、500mm、600mm cabinet width
Dark grey

Combination



MODEL	CABINET W (mm)	WIDTH x DEPTH x HEIGHT (mm) With slides	DESCRIPTION	PACKAGING
AB4116S.030A1.DG	300	264x500x460	2x10L	1 Set
AB4116S.030A2.DG	300	264x500x330	2x8L	1 Set
AB4119S.035A1.DG	350	314x494x552	40L	1 Set
AB4116S.040A1.DG	400	364x500x460	2x20L	1 Set
AB4116S.040A2.DG	400	364x500x330	2x15L	1 Set
AB4116S.045A1.DG	450	414x500x460	2x24L	1 Set
AB4116S.045A2.DG	450	414x500x330	2x17L	1 Set
AB4116S.045B1.DG	450	414x500x460	24+2x10L	1 Set
AB4116S.045B2.DG	450	414x500x330	17+2x8L	1 Set
AB4116S.050A1.DG	500	464x500x460	2x24L	1 Set
AB4116S.050A2.DG	500	464x500x330	2x17L	1 Set
AB4116S.050B1.DG	500	464x500x460	24+2x10L	1 Set
AB4116S.050B2.DG	500	464x500x330	17+2x8L	1 Set
AB4116S.060A1.DG	600	564x500x460	2x24+2x10L	1 Set
AB4116S.060A2.DG	600	564x500x330	2x17+2x8L	1 Set
AB4116S.045A3.DG	450	414x495x549	2x30L	1 Set
AB4116S.050A3.DG	500	464x495x549	2x30L	1 Set
AB4116S.060A3DG	600	564x495x549	2x9+2x30L	1 Set
AB4119S.060A1.DG	600	564x494x552	2x40L	1 Set

BIG BIN

Product Image



GR

BU

GN

OG

MODEL	VOLUME(L)	WxDxH(mm)	PACKAGING
AB1130.24.(A)	24	340x215x460	1 Set
AB1130.17.(A)	17	340x215x330	1 Set

Remarks:
(A):Color:Gray(GR)/Blue(BU)/Green(GN)/Orange(OG)

Combination

450/500

450/500

600

600

MEDIUM BIN

Product Image



GR

BU

GN

OG

MODEL	VOLUME(L)	WxDxH(mm)	PACKAGING
AB1129.20.(A)	20	300x215x460	1 Set
AB1129.15.(A)	15	300x215x330	1 Set

Remarks:
(A):Color:Gray(GR)/Blue(BU)/Green(GN)/Orange(OG)

Combination

400

800

SMALL BIN

Product Image



GR

BU

GN

OG

MODEL	VOLUME(L)	WxDxH(mm)	PACKAGING
AB1131.10.(A)	10	215x170x460	1 Set
AB1131.08.(A)	8	215x170x330	1 Set

Remarks:
(A):Color:Gray(GR)/Blue(BU)/Green(GN)/Orange(OG)

Combination

300

450/500

600

BIN-WITHOUT COVERS

Product Image



GR

BU

GN

OG

MODEL	VOLUME(L)	WxDxH(mm)	PACKAGING
AB1139.30.(A)	30	357x222x527	1 Set
AB1140.09.(A)	9	228x144x457	1 Set

Remarks:
(A):Color:Gray(GR)/Blue(BU)/Green(GN)/Orange(OG)

Combination

450/500

600

